

## Tabela de Preços - Setembro 2018

PVP recomendado IVA a 23% incluído.

Modelo	Preço Final
<b>Conversores Digital Analógico</b>	
<b>BDA-3</b>	<b>3.978,00 €</b>



In: 4 HDMI, 2 USB, S/PDIF, AES/EBU, Óptica  
Out: Fixed level stereo XLR, RCA. 4K vídeo pass through  
DSD-256, PCM 384kHz / 32 bit. TCP/IP and RS232 control.  
A x P: 8,45cm x 29,5cm Peso: 3,97Kg

<b>BDA-2</b>	<b>3.057,00 €</b>
--------------	-------------------



In: USB, S/PDIF, AES/EBU, Óptica  
Out: Fixed level stereo XLR, RCA.  
PCM 192kHz / 24 bit. RS232 control.  
A x P: 6,98cm x 29,5cm Peso: 5,67Kg

## Digital Music Players

<b>BDP-3</b>	<b>3.978,00 €</b>
--------------	-------------------



Music Storage: USB Drive, NAS, Tidal, Internal  
Out: PCM only: S/PDIF (BNC) and AES/EBU,  
DSD & PCM: USB  
Control with Bryston's web-app. Compatível com Tidal, Roon,  
A x P: 6,98cm x 29,5cm Peso: 5,67Kg  
**Opção com wifi - montagem só em fabrica.**

**455,00 €**

<b>BDP-π</b>	<b>1.466,00 €</b>
--------------	-------------------



Music Storage: USB Drive, NAS, Tidal  
Out: PCM only: S/PDIF (BNC) and USB  
Control with Bryston's web-app. Compatível com Tidal, Roon,  
A x L x P: 6,98 x 21,6 x Peso: 1,18Kg  
**Opção com wifi - antena USB externa**

**137,00 €**

## Leitores Ópticos BCD-3

3.978,00 €



CD Player compatível with CD, CD-R, CD-RW  
Out: Analog unbalanced RCA & balanced XLR,  
Digital S/PDIF (RCA) AES/EBU (XLR)  
Control: RS232, TCP/IP, Web App, IR.  
A x P: 6,98cm x 29,5cm Peso: 5,67Kg  
Telecomando BR-2 não incluído.

## BOT-1

1.466,00 €



Para usar com os BDP digital players para ripping, tocar, e gravação.  
Não pode ser usado como leitor cd's integrado ou transporte com outros aparelhos  
Liga por cabo USB aos BDP.  
A x L x P: 6,98 x 21,6 x Peso: 1,18Kg

## Processadores Surround SP3

11.352,00 €



Premium surround processor with all discrete analog circuitry and 4K vídeo passthrough.  
Input: 7 HDMI (all HDCP 2.2), USB, S/PDIF, Toslink, balanced and unbalanced analog  
Out: 2 HDMI, S/PDIF, Toslink, balanced and unbalanced analog, 2 assignable analog out, Zone 2.  
Control: RS232, TCP/IP, Web App, IR



## SP4

16.852,00 €



Object based immersive theater processor.  
Discrete 16 channel analog output. 4K with HDR passthrough.  
Input: 7 HDMI (all HDCP 2.2), S/PDIF, Toslink, unbalanced analog  
Out: 2 HDMI, 16 ch assignable balanced analog, 2 downmix balanced analog out,  
Control: RS232, TCP/IP, Web App,  
A x P: 16cm x 38,7cm Peso: 11,3Kg

## Amplificadores

**28B<sup>3</sup>**

**12.489,00 €**



Cubed Series monoblock amplifier  
Channels: 1  
Rated Power: 1000W (8Ω) 1800 (4Ω)  
Input: Balanced XLR, and unbalanced RCA  
Out: 2 ea. 5 way binding post pair  
Control: DC trigger  
A x P: 20,5cm x 46,7cm Peso: 42Kg

**7B<sup>3</sup>**

**6.807,00 €**



Cubed Series monoblock amplifier  
Channels: 1  
Rated Power: 600W (8Ω) 900 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 16cm x 41cm Peso: 24Kg



**14B<sup>3</sup>**

**12.262,00 €**



Cubed Series dual-mono amplifier  
Channels: 2  
Rated Power: 600W (8Ω) 900 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 20,5cm x 46,7cm Peso: 41,2Kg

**4B<sup>3</sup>**

**6.807,00 €**



Cubed Series dual-mono amplifier  
Channels: 2  
Rated Power: 300W (8Ω) 500 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 16cm x 41cm Peso: 19Kg



**3B<sup>3</sup>**

**5.671,00 €**



Cubed Series dual-mono amplifier  
Channels: 2  
Rated Power: 200W (8Ω) 300 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 2 ea. binding post pair  
Control: DC trigger  
A x P: 16cm x 32,5cm Peso: 15,4Kg

**2.5B<sup>3</sup>****Cubed Series dual-mono amplifier****4.534,00 €**

Channels: 2  
Rated Power: 135W (8Ω) 180 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 11,4cm x 36,8cm Peso: 12,7Kg

**2B-LP Pro****2.932,00 €**

Dual-mono amplifier  
Channels: 2  
Rated Power: 60W (8Ω) 100W (4Ω) 200W BTL  
Input: 2 Balanced XLR/TRS  
Out: 2 ea. binding post pair  
A x P: 5,8cm x 26,6cm Peso: 8,1Kg  
só disponível em preto  
Largura 19" montável em rack

**6BSST<sup>2</sup> 3 canais****10.784,00 €**

SST<sup>2</sup> Series modular tri-mono amplifier  
Channels: 3  
Rated Power: 300W (8Ω) 500 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 20,5cm x 46,8cm Peso: 41,7Kg

**9BSST<sup>2</sup> multi canal****11.352,00 €**

SST<sup>2</sup> Series multi channel modular amplifier  
Channels: 3 4 or 5

Rated Power: 140W (8Ω) 200 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts

Control: DC trigger  
A x P: 16cm x 48cm Peso: 34,5Kg

5 canais

**9.421,00 €**

4 canais

**7.943,00 €**

3 canais

**Modulo de amp para 9BSST<sup>2</sup>****1.966,00 €****875HT****11.921,00 €**

Bridgeable 8 Channel Class A/B Amplifier  
Channels: 8, or bridge pairs  
Rated Power: 75W(8Ω) 100(4Ω) 250W BTL(8Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 8,9cm x 48cm Peso: 15,5Kg

**21B<sup>3</sup>**

**12.262,00 €**



Asymmetric 3 Channel Class A/B Amplifier  
 Channels: 3  
 Rated Power: 1x600W(8Ω) + 2x300(8Ω)  
 Input: Balanced XLR/TRS, and unbalanced RCA  
 Out: 5 way binding posts  
 Control: DC trigger  
 A x P: 20,5cm x 46,7cm Peso: 41,7Kg

**24B<sup>3</sup>**

**#VALOR!**



Asymmetric 6 Channel Class A/B Amplifier  
 Channels: 6  
 Rated Power: 2x200W(8Ω) + 4x75(8Ω)  
 Input: Balanced XLR/TRS, and unbalanced RCA  
 Out: 5 way binding posts  
 Control: DC trigger  
 A x P: 8,9cm x 48cm Peso: 15,4Kg

## Amplificadores Integrados

**B-135<sup>3</sup>**

**6.807,00 €**



Integrated w/ DAC and MM options  
 Channels: 2 Rated Power: 135W(8Ω) 180(4Ω)  
 Input: 6 unbalanced RCA, 4 with digital option.  
 tape loop, 1 with MM phono option  
 Out: 5 way binding posts, 1/4" headphone,  
 RCA preamp out.  
 Control: DC trigger, RS232  
 A x P: 11,4cm x 37cm Peso: 12Kg  
 Telecomando BR-2 opcional



**B-135<sup>3</sup> DA c/ DAC**

**7.659,00 €**

Inputs: 2 RCA + 2 Toslink, 24/96KHz

**B-135<sup>3</sup> P c/ phono MM**

**7.659,00 €**

**B-135<sup>3</sup> DAP c/ DAC e Phono MM**

**8.512,00 €**

**B-60R**

**4.534,00 €**



Integrated w/ DAC and MM options  
 Channels: 2 Rated Power: 60W(8Ω) 100(4Ω)  
 Input: 4 unbalanced RCA, 1 with digital option.  
 tape loop, 2 with MM phono option  
 Out: 5 way binding posts, 1/4" headphone,  
 RCA preamp out. Control: DC trigger  
 A x P: 7cm x 32,5cm Peso: 7,7Kg  
 Telecomando BR-2 opcional

**B-60 DA c/ DAC**

**5.387,00 €**

Inputs: 2 RCA + 2 Toslink, 24/96KHz

**B-60 P c/ phono MM**

**5.387,00 €**

## Amplificador Headphones

### BHA-1

2.262,00 €



Headphone amplifier with balanced and single ended outputs

In: Analog RCA, XLR, Mini TRS

Out: XLR Preamp out (rear), L/R XLR-3, XLR-4, 1/4" TRS

A x P: 7cm x 32,5cm Peso: 6Kg



## Pré-Amplificadores

### BP-26

3.966,00 €



Flagship stereo preamp w/ DAC and MM/MC options.

**Necessita fonte de alimentação MPS-2 ou PS-3.**

Channels: 2

Input: 2 XLR balanced, 5 RCA unbalanced. 2

with digital option. tape loop, 1 with MM/MC phono option

Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out.

Control: DC trigger

A x P: 7cm x 32,5cm Peso: 5,6Kg

Telecomando BR-2 opcional



#### **B-26 DA c/ DAC**

4.819,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

#### **B-26 P c/ phono MM**

4.819,00 €

#### **B-26 DAP c/ DAC e Phono MM**

5.671,00 €

### BP-17<sup>3</sup>

4.307,00 €



Stereo preamp w/ DAC and MM phono options.

Channels: 2

Input: 2 XLR, 4 RCA (2 with digital option. tape

loop, 1 with MM phono option)

Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out.

Control: DC trigger, RS232

A x P: 11,4cm x 37cm Peso: 5Kg

Telecomando BR-2 opcional

#### **BP-17<sup>3</sup> DA c/ DAC**

5.159,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

#### **BP-17<sup>3</sup> P c/ phono MM**

5.159,00 €

#### **BP-17<sup>3</sup> DAP c/ DAC e Phono MM**

6.012,00 €

## BP-6

3.739,00 €



Stereo preamp w/ DAC and MM phono options.  
Channels: 2  
Input: 4 unbalanced RCA, 1 with digital option.  
tape loop, 2 with MM phono option  
Out: 1 pair RCA, 1/4" headphone, tape out.  
Control: DC trigger  
A x P: 7cm x 32,5cm Peso: 7,7Kg  
Telecomando BR-2 opcional

### B-60 DA c/ DAC

4.591,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

### B-60 P c/ phono MM

4.591,00 €

## Fontes de alimentação

### MPS-2

2.114,00 €



Highly regulated DC power supply for BP-26, BP 1.5, BP-2, 10B.  
In: A/C Mains  
Out: 4 ea. XLR-6 DC voltage  
Control: DC Trigger  
A x P: 7cm x 32,5cm Peso: 7Kg

### PS-3

1.137,00 €



Highly regulated DC power supply for BP-26, BP 1.5, BP-2, 10B.  
In: A/C Mains  
Out: 1 ea. XLR-6 DC voltage  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 2,44Kg

## Tele comando BR-2

455,00 €



Machined aluminum, EL backlit Bryston universal remote control. Controls most Bryston electronics

## Pré-Amplificadores Phono

### BP-2 MM

910,00 €



Active class-A phono preamp with 42dB of gain and selectable load capacitance. For MM and high output MC cartridges.  
Requires MPS-2 or PS-3 power supply  
In: RCA + ground lug  
Out: 2 RCA  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,58Kg  
Se usado com MPS-2 necessita de adaptador

## BP-2 MM/MC

1.989,00 €



Active gain stage plus 20 or 30 dB step up transformer for medium and low output MC cartridges respectively. Requires MPS-2 or PS-3 power supply  
In: RCA + ground lug  
Out: RCA  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,7Kg  
Se usado com MPS-2 necessita de adaptador  
Choose BP-2 20 for med output (0.3-1.0mV) cartridges. BP-2 30 for low output (0.1-0.3mV) cartridges

## TF-2

1.705,00 €



Passive 20 or 30 dB step up transformer for medium and low output MC cartridges respectively. Use with MM gain stage when coupled with MC cartridge.  
In: RCA + ground lug  
Out: RCA  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,58Kg  
Choose TF-2 20 for med output (0.3-0.5mV) cartridges  
TF-2 30 for low output (0.1-0.3mV) cartridges. Either is OK for 0.3mV

## Cabo adaptador MPS-2 para BP-2

103,00 €

## Gira-Discos

### BLP-1

4.534,00 €



Turntable + titanium tonearm + BTP-1 power supply and speed adjust. Also includes tonearm cable and record weight and hinged acrylic dust cover  
Out: RCA + ground lug.  
BLP-1  
A x L x P: 17 x 42,4 x 37,3cm Peso: 11,3Kg  
BTP-1  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 2Kg

### BLP-5

3.398,00 €



Turntable + aluminum tonearm + BTP-1 power supply and speed adjust. Also includes tonearm cable and record weight and hinged acrylic dust cover  
Out: RCA + ground lug.  
BLP-5  
A x L x P: 17 x 42,4 x 37,3cm Peso: 11,3Kg  
BTP-1  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 2Kg



## Crossovers electrónicos analógicos

### 10B-STD

**5.671,00 €**



Full analog ultra low distortion line level selectable point and slope crossover for active loudspeakers.

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

### 10B-SUB

**5.671,00 €**



Full analog ultra low distortion line level selectable point and slope crossover for integrating a subwoofer.

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

### 10B-LR

**5.671,00 €**

Full analog ultra low distortion line level modular fixed-point Linkwitz Riley crossover for active loudspeakers (STD)

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

## Switch Box passivo para colunas

**1.648,00 €**



Rack mount 6-way passive speaker switch box.

Input: 1 stereo pair binding posts

Output: 6 stereo pairs binding posts

## Bryston Isolation Transformers - Reguladores de tensão - multi zona

### BIT16 AVR2

**11.591,00 €**

Power isolation transformer with voltage regulation and network control

In: 250V IEC 20A

Out: 220-240V 16A

Control: TCP/IP, RS232, single zone

A x P: 25cm x 55,8cm Peso: 55,8Kg

9 tomadas

### BIT8 AVR2

**9.773,00 €**

Power isolation transformer with voltage regulation and network control

In: 250V IEC 15A

Out: 220-240V 8A

Control: TCP/IP, RS232, single zone

A x P: 20,3cm x 48,3cm Peso: 38,5Kg

6 tomadas

## Bryston Isolation Transformers - Reguladores de tensão

### BIT16 AVR

**11.137,00 €**

Power isolation transformer with voltage regulation and network control  
In: 250V IEC 20A  
Out: 220-240V 16A  
Control:TCP/IP, RS232, single zone  
A x P: 25cm x 55,8cm Peso: 55,8Kg  
9 tomadas

### BIT8 AVR

**9.091,00 €**

Power isolation transformer with voltage regulation and network control  
In: 250V IEC 15A  
Out: 220-240V 8A  
Control:TCP/IP, RS232, single zone  
A x P: 20,3cm x 48,3cm Peso: 38,5Kg  
6 tomadas

## Bryston Isolation Transformers

### BIT16

**8.409,00 €**



Power isolation transformer with Series Mode Surge Protection  
In: 250V IEC 15A  
Out: 220-240V 16A  
A x P: 20,3cm x 41,9cm Peso: 48Kg  
8 tomadas

### BIT8

**6.364,00 €**



Power isolation transformer  
In: 250V IEC 15A  
Out: 220-240V 8A  
A x P: 15,8cm x 29,2cm Peso: 34Kg  
5 tomadas

### BIT4

**4.091,00 €**

Power isolation transformer  
In: 250V IEC 15A  
Out: 220-240V 4A  
A x P: 10,1cm x 48,3cm Peso: 17Kg  
4 tomadas

Modelos disponiveis com face em preto ou em aluminio.

Frente dsiponivel em 17", 19" e alguns modelos com montagem Pro rack

Cor standard do Led Verde. Led azul disponivel por encomenda.

## Colunas Modelo T Model T signature

**9.546,00 €**



Flagship full range floor standing loudspeakers with upgraded outboard passive crossovers. Up to 118dB before compression  
Crossover In / Out: 3 pairs 5 way binding posts with shorting straps.

Speaker Input: tri-wire binding posts.

Includes: Grilles, outboard passive crossovers. spikes, rubber feet.

A x L x P: 130 x 26,6 x 46,7cm Peso: 49Kg

Impedance: 4Ω Sensitivity: 91dB Response: 25Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**10.501,00 €**

**15.274,00 €**

**10.978,00 €**

## Model T

**8.409,00 €**



Full range floor standing loudspeakers with internal passive crossovers. Up to 118dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 130 x 26,6 x 46,7cm Peso: 49Kg

Impedance: 4Ω Sensitivity: 91dB Response: 25Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**9.250,00 €**

**13.455,00 €**

**9.671,00 €**

## Middle T

**6.364,00 €**



to 112dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 100 x 26,6 x 46,7cm Peso: 36,7Kg

Impedance: 4Ω Sensitivity: 88dB Response: 33Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**7.001,00 €**

**10.183,00 €**

**7.319,00 €**

## Mini T

**3.864,00 €**



Large format bookshelf loudspeakers with internal passive crossovers. Up to 112dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 57,1 x 26,6 x 25,4cm Peso: 19Kg

Impedance: 4Ω Sensitivity: 86dB Response: 33Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**4.251,00 €**

**6.183,00 €**

**4.444,00 €**

## TC1 Centre

**4.546,00 €**



Large format center loudspeaker with internal passive crossovers.

Up to 118dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 26,6 x 100 x 41,9cm Peso: 49Kg

Impedance: 4Ω Sensitivity: 91dB Response: 35Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**5.001,00 €**

**7.274,00 €**

**5.228,00 €**

## TC1 - Mini center

**3.410,00 €**



Medium format center loudspeaker with internal passive

crossovers. Up to 112dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 26,6 x 73,5 x 25cm Peso: 25Kg

Impedance: 4Ω Sensitivity: 88dB Response: 40Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**3.751,00 €**

**5.456,00 €**

**3.922,00 €**

## Model T Sub

**5.682,00 €**



Powered Subwoofer. 3x8" bass drivers, 600W Bryston Amp.

Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger

Adjustments: Level, Low pass, Polarity,

Includes: Grilles, spikes, rubber feet.

A x L x P: 98,5 x 26,7 x 42,4cm Peso: 48Kg

Power: 600W Response: 18Hz-150Hz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**6.251,00 €**

**9.092,00 €**

**6.535,00 €**

## Mini T Sub

**3.978,00 €**



Powered Subwoofer. 2x8" bass drivers, 600W Bryston Amp.

Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger

Adjustments: Level, Low pass, Polarity,

Includes: Grilles, spikes, rubber feet.

A x L x P: 61 x 26,7 x 42,4cm Peso: 42Kg

Power: 600W Response: 25Hz-150Hz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**4.376,00 €**

**6.365,00 €**

**4.575,00 €**

## T12-Sub

**5.682,00 €**



Powered Subwoofer. 2x12" bass drivers, 600W Bryston Amp.  
Dipole  
Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger  
Includes: Grilles, spikes, rubber feet.  
A x L x P: 61 x 26,7 x 42,4cm Peso: 47,6Kg  
Power: 600W Response: 18Hz-150Hz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

**6.251,00 €**

**9.092,00 €**

**6.535,00 €**

## T8-Sub

**3.978,00 €**



Powered Subwoofer. 2x8" bass drivers, 600W Bryston Amp. Dipole  
Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger  
Includes: Grilles, spikes, rubber feet.  
A x L x P: 48,2 x 48,2 x 48,2cm Peso: 40Kg  
Power: 600W Response: 25Hz-150Hz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

**4.376,00 €**

**6.365,00 €**

**4.575,00 €**

## Colunas Modelo A

### A1

**4.921,00 €**



Near full range floor standing loudspeakers. Up to 114dB before compression  
Speaker Input: Bi-wire binding posts.  
Includes: Grilles, outboard passive crossovers. spikes, rubber feet.  
A x L x P: 120 x 23,5 x 43,2cm Peso: 31,8Kg  
Impedance: 4Ω Sensitivity: 88dB Response: 31Hz-20kHz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

**5.414,00 €**

**7.874,00 €**

**5.660,00 €**

### A2

**3.932,00 €**



Near full range floor standing loudspeakers with internal passive crossovers. Up to 114dB before compression  
Speaker Input: bi-wire binding posts.  
Includes: Grilles, spikes, rubber feet.  
A x L x P: 100 x 23,5 x 43,2cm Peso: 28,1Kg  
Impedance: 4Ω Sensitivity: 87dB Response: 31Hz-20kHz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

**4.326,00 €**

**6.292,00 €**

**4.522,00 €**

## A3 3.375,00 €



Floor standing loudspeakers with internal passive crossovers. Up to 111dB before compression  
 Speaker Input: bi-wire binding posts.  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 95,3 x 23,5 x 43,2cm Peso: 24Kg  
 Impedance: 6Ω Sensitivity: 88dB Response: 40Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

3.713,00 €

5.400,00 €

3.882,00 €

## Mini A 1.716,00 €



Bookshelf loudspeakers notable for their bass extension, and 3 way architecture - unusual in a speaker this size at this price. Up to 100dB before compression.  
 Speaker Input: Bi-wire binding posts.  
 Includes: Grilles, outboard passive crossovers. spikes, rubber feet.  
 A x L x P: 39,4 x 21,6 x 21cm Peso: 24Kg  
 Impedance: 8Ω Sensitivity: 87dB Response: 60Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

1.888,00 €

2.746,00 €

1.974,00 €

## AC-1 center 2.273,00 €



High power center loudspeaker for large home theatres. Up to 111dB before compression  
 Speaker Input: bi-wire binding posts.  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 23,5 x 100 x 43,2cm Peso: 25,8Kg  
 Impedance: 4Ω Sensitivity: 88dB Response: 34Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

2.501,00 €

3.637,00 €

2.614,00 €

## AC-1 mini center 1.773,00 €



High power center loudspeaker for medium and large home theatres. Up to 111dB before compression  
 Speaker Input: bi-wire binding posts.  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 29,2 x 76,2 x 35,3cm Peso: 22Kg  
 Impedance: 6Ω Sensitivity: 86dB Response: 45Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

1.951,00 €

2.837,00 €

2.039,00 €

## AC-1 micro center

**671,00 €**



Micro center loudspeaker for small to medium home theatres.  
Fits in many credenza center drawers.  
Speaker Input: bi-wire binding posts.  
Includes: Grilles, rubber feet.  
A x L x P: 19,1 x 43,2 x 19,1cm Peso: 6,4Kg  
Impedance: 8Ω Sensitivity: 91dB Response: 95Hz-20kHz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

**739,00 €**

**1.074,00 €**

**772,00 €**

## Model A Sub

**2.682,00 €**



High performance subwoofer. 2x10" drivers dipole with 400w amplifier. Max output 110dB  
Input: high level binding posts, RCA with daisy chain passthrough  
Adjustments: Crossover, polarity, level  
Includes: Grilles, spikes, rubber feet.  
A x L x P: 43 x 45 x 38,5cm Peso: 22Kg  
Power: 400w Response: 31Hz-150Hz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

**2.951,00 €**

**4.292,00 €**

**3.085,00 €**

## Colunas arquitetónicas

### TIW - In wall

**739,00 €**



Audiophile grade 3-way in-wall speaker. Perfect match for T and A Series. Permanent back box. Dog clamp mounting  
Speaker Input: Binding posts.  
Includes: Grilles  
A x L x P: 35,6 x 19,6 x 8,8cm Peso: 5Kg  
Impedance: 8Ω Sensitivity: 87dB Response: 75Hz-20kHz ±3dB  
Acabamento aro em branco e grelha em aço perfurado

### TOW - On wall

**1.716,00 €**



Audiophile grade 3-way on-wall speaker. Perfect match for T and A Series. Innovative combo binding post clamp mounting  
Includes: Grilles  
A x L x P: 39,4 x 21,6 x 21cm Peso: 24Kg  
Impedance: 8Ω Sensitivity: 87dB Response: 75Hz-20kHz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

**1.888,00 €**

**2.746,00 €**

**1.974,00 €**

### CIW - In Ceiling

**341,00 €**



Audiophile grade 2-way in-ceiling speaker. Perfect match for T and A Series.

Includes: Grilles

dia. x P: 24,6 x 11,7cm

Peso: 5,44Kg

Impedance: 8Ω Sensitivity: 88dB Response: 70Hz-22kHz ±3dB

### BryFi Wireless High Resolution Audio

#### BW-1

**1.910,00 €**



Dual 3-way Mini A Loudspeakers with built in 75 watt x 2 channel amplifier. Wifi, Ethernet, Tidal, High Resolution local library. All

controlled with BryFi App on Android or iOS

Music Input: USB, NAS, UPnP, Tidal, Airplay,

Network: WiFi 802.11n, hotspot, 100mbps ethernet

A x L x P: 26 x 49,5 x 17,14cm

Peso: 7,25Kg + baterias opcionais

Inclui: Fonte de alimentação externa

Acabamento parte circundante: Branco ou Preto

Acabamento no topo: black ash,

natural cherry, boston cherry real

wood, preto brilho, ou branco brilho



Baterias **205,00 €**