

## Tabela de Preços - Novembro 2018

PVP recomendado IVA a 23% incluído.

Modelo	Preço Final
<b>Conversores Digital Analógico</b>	
<b>BDA-3</b>	<b>4.348,00 €</b>



In: 4 HDMI, 2 USB, S/PDIF, AES/EBU, Óptica  
Out: Fixed level stereo XLR, RCA. 4K vídeo pass through  
DSD-256, PCM 384kHz / 32 bit. TCP/IP and RS232 control.  
A x P: 8,45cm x 29,5cm Peso: 3,97Kg

<b>BDA-2</b>	<b>3.192,00 €</b>
--------------	-------------------



In: USB, S/PDIF, AES/EBU, Óptica  
Out: Fixed level stereo XLR, RCA.  
PCM 192kHz / 24 bit. RS232 control.  
A x P: 6,98cm x 29,5cm Peso: 5,67Kg

## Digital Music Players

<b>BDP-3</b>	<b>4.577,00 €</b>
--------------	-------------------



Music Storage: USB Drive, NAS, Tidal, Internal  
Out: PCM only: S/PDIF (BNC) and AES/EBU,  
DSD & PCM: USB  
Control with Bryston's web-app. Compatível com Tidal, Roon,  
A x P: 6,98cm x 29,5cm Peso: 5,67Kg  
**Opção com wifi - montagem só em fabrica.**

**344,00 €**

<b>BDP-π</b>	<b>1.717,00 €</b>
--------------	-------------------



Music Storage: USB Drive, NAS, Tidal  
Out: PCM only: S/PDIF (BNC) and USB  
Control with Bryston's web-app. Compatível com Tidal, Roon,  
A x L x P: 6,98 x 21,6 x Peso: 1,18Kg  
**Opção com wifi - antena USB externa**

**138,00 €**

## Leitores Ópticos BCD-3

4.348,00 €



CD Player compatível with CD, CD-R, CD-RW  
Out: Analog unbalanced RCA & balanced XLR,  
Digital S/PDIF (RCA) AES/EBU (XLR)  
Control: RS232, TCP/IP, Web App, IR.  
A x P: 6,98cm x 29,5cm Peso: 5,67Kg  
Telecomando BR-2 não incluído.

## BOT-1

1.705,00 €



Para usar com os BDP digital players para ripping, tocar, e gravação.  
Não pode ser usado como leitor cd's integrado ou transporte com outros aparelhos  
Liga por cabo USB aos BDP.  
A x L x P: 6,98 x 21,6 x Peso: 1,18Kg

## Processadores Surround SP3

11.429,00 €



Premium surround processor with all discrete analog circuitry and 4K vídeo passthrough.  
Input: 7 HDMI (all HDCP 2.2), USB, S/PDIF, Toslink, balanced and unbalanced analog  
Out: 2 HDMI, S/PDIF, Toslink, balanced and unbalanced analog, 2 assignable analog out, Zone 2.  
Control: RS232, TCP/IP, Web App, IR



## SP4

19.449,00 €



Object based immersive theater processor.  
Discrete 16 channel analog output. 4K with HDR passthrough.  
Input: 7 HDMI (all HDCP 2.2), S/PDIF, Toslink, unbalanced analog  
Out: 2 HDMI, 16 ch assignable balanced analog, 2 downmix balanced analog out,  
Control: RS232, TCP/IP, Web App,  
A x P: 16cm x 38,7cm Peso: 11,3Kg

## Amplificadores

**28B<sup>3</sup>**

**13.717,00 €**



Cubed Series monoblock amplifier  
Channels: 1  
Rated Power: 1000W (8Ω) 1800 (4Ω)  
Input: Balanced XLR, and unbalanced RCA  
Out: 2 ea. 5 way binding post pair  
Control: DC trigger  
A x P: 20,5cm x 46,7cm Peso: 42Kg

**7B<sup>3</sup>**

**7.654,00 €**



Cubed Series monoblock amplifier  
Channels: 1  
Rated Power: 600W (8Ω) 900 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 16cm x 41cm Peso: 24Kg



**14B<sup>3</sup>**

**12.573,00 €**



Cubed Series dual-mono amplifier  
Channels: 2  
Rated Power: 600W (8Ω) 900 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 20,5cm x 46,7cm Peso: 41,2Kg

**4B<sup>3</sup>**

**7.654,00 €**



Cubed Series dual-mono amplifier  
Channels: 2  
Rated Power: 300W (8Ω) 500 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 16cm x 41cm Peso: 19Kg



**3B<sup>3</sup>**

**6.281,00 €**



Cubed Series dual-mono amplifier  
Channels: 2  
Rated Power: 200W (8Ω) 300 (4Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 2 ea. binding post pair  
Control: DC trigger  
A x P: 16cm x 32,5cm Peso: 15,4Kg

### 2.5B<sup>3</sup>

### Cubed Series dual-mono amplifier

**4.794,00 €**



Channels: 2  
 Rated Power: 135W (8Ω) 180 (4Ω)  
 Input: Balanced XLR/TRS, and unbalanced RCA  
 Out: 5 way binding posts  
 Control: DC trigger  
 A x P: 11,4cm x 36,8cm Peso: 12,7Kg

### 2B-LP Pro

**3.433,00 €**



Dual-mono amplifier  
 Channels: 2  
 Rated Power: 60W (8Ω) 100W (4Ω) 200W BTL  
 Input: 2 Balanced XLR/TRS  
 Out: 2 ea. binding post pair  
 A x P: 5,8cm x 26,6cm Peso: 8,1Kg  
 só disponível em preto  
 Largura 19" montável em rack

### 6BSST<sup>2</sup> 3 canais

**11.429,00 €**



SST<sup>2</sup> Series modular tri-mono amplifier  
 Channels: 3  
 Rated Power: 300W (8Ω) 500 (4Ω)  
 Input: Balanced XLR/TRS, and unbalanced RCA  
 Out: 5 way binding posts  
 Control: DC trigger  
 A x P: 20,5cm x 46,8cm Peso: 41,7Kg

### 9BSST<sup>2</sup> multi canal

**12.573,00 €**



SST<sup>2</sup> Series multi channel modular amplifier  
 Channels: 3 4 or 5  
 Rated Power: 140W (8Ω) 200 (4Ω)  
 Input: Balanced XLR/TRS, and unbalanced RCA  
 Out: 5 way binding posts  
 Control: DC trigger  
 A x P: 16cm x 48cm Peso: 34,5Kg

5 canais

**10.629,00 €**

4 canais

**9.141,00 €**

3 canais

### Modulo de amp para 9BSST<sup>2</sup>

**1.980,00 €**



### 875HT

**12.573,00 €**



Bridgeable 8 Channel Class A/B Amplifier  
 Channels: 8, or bridge pairs  
 Rated Power: 75W(8Ω) 100(4Ω) 250W BTL(8Ω)  
 Input: Balanced XLR/TRS, and unbalanced RCA  
 Out: 5 way binding posts  
 Control: DC trigger  
 A x P: 8,9cm x 48cm Peso: 15,5Kg

**21B<sup>3</sup>**

**13.717,00 €**



Asymmetric 3 Channel Class A/B Amplifier  
Channels: 3  
Rated Power: 1x600W(8Ω) + 2x300(8Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 20,5cm x 46,7cm Peso: 41,7Kg

**24B<sup>3</sup>**

**#VALOR!**



Asymmetric 6 Channel Class A/B Amplifier  
Channels: 6  
Rated Power: 2x200W(8Ω) + 4x75(8Ω)  
Input: Balanced XLR/TRS, and unbalanced RCA  
Out: 5 way binding posts  
Control: DC trigger  
A x P: 8,9cm x 48cm Peso: 15,4Kg

## Amplificadores Integrados

**B-135<sup>3</sup>**

**7.425,00 €**



Integrated w/ DAC and MM options  
Channels: 2 Rated Power: 135W(8Ω) 180(4Ω)  
Input: 6 unbalanced RCA, 4 with digital option.  
tape loop, 1 with MM phono option  
Out: 5 way binding posts, 1/4" headphone,  
RCA preamp out.  
Control: DC trigger, RS232  
A x P: 11,4cm x 37cm Peso: 12Kg  
Telecomando BR-2 opcional



**B-135<sup>3</sup> DA c/ DAC**

**8.283,00 €**

Inputs: 2 RCA + 2 Toslink, 24/96KHz

**B-135<sup>3</sup> P c/ phono MM**

**8.283,00 €**

**B-135<sup>3</sup> DAP c/ DAC e Phono MM**

**9.141,00 €**

**B-60R**

**5.023,00 €**



Integrated w/ DAC and MM options  
Channels: 2 Rated Power: 60W(8Ω) 100(4Ω)  
Input: 4 unbalanced RCA, 1 with digital option.  
tape loop, 2 with MM phono option  
Out: 5 way binding posts, 1/4" headphone,  
RCA preamp out. Control: DC trigger  
A x P: 7cm x 32,5cm Peso: 7,7Kg  
Telecomando BR-2 opcional

**B-60 DA c/ DAC**

**5.881,00 €**

Inputs: 2 RCA + 2 Toslink, 24/96KHz

**B-60 P c/ phono MM**

**5.881,00 €**

## Amplificador Headphones

### BHA-1

2.506,00 €



Headphone amplifier with balanced and single ended outputs

In: Analog RCA, XLR, Mini TRS

Out: XLR Preamp out (rear), L/R XLR-3, XLR-4, 1/4" TRS

A x P: 7cm x 32,5cm Peso: 6Kg



## Pré-Amplificadores

### BP-26

4.336,00 €



Flagship stereo preamp w/ DAC and MM/MC options.

**Necessita fonte de alimentação MPS-2 ou PS-3.**

Channels: 2

Input: 2 XLR balanced, 5 RCA unbalanced. 2

with digital option. tape loop, 1 with MM/MC phono option

Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out.

Control: DC trigger

A x P: 7cm x 32,5cm Peso: 5,6Kg

Telecomando BR-2 opcional

**B-26 DA c/ DAC**

5.194,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

**B-26 P c/ phono MM**

5.194,00 €

**B-26 DAP c/ DAC e Phono MM**

5.709,00 €



### BP-17<sup>3</sup>

4.794,00 €



Stereo preamp w/ DAC and MM phono options.

Channels: 2

Input: 2 XLR, 4 RCA (2 with digital option. tape

loop, 1 with MM phono option)

Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out.

Control: DC trigger, RS232

A x P: 11,4cm x 37cm Peso: 5Kg

Telecomando BR-2 opcional

**BP-17<sup>3</sup> DA c/ DAC**

5.652,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

**BP-17<sup>3</sup> P c/ phono MM**

5.652,00 €

**BP-17<sup>3</sup> DAP c/ DAC e Phono MM**

6.510,00 €

## BP-6

4.336,00 €



Stereo preamp w/ DAC and MM phono options.  
Channels: 2  
Input: 4 unbalanced RCA, 1 with digital option.  
tape loop, 2 with MM phono option  
Out: 1 pair RCA, 1/4" headphone, tape out.  
Control: DC trigger  
A x P: 7cm x 32,5cm Peso: 7,7Kg  
Telecomando BR-2 opcional

### B-60 DA c/ DAC

5.194,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

### B-60 P c/ phono MM

5.194,00 €

## Fontes de alimentação

### MPS-2

2.128,00 €



Highly regulated DC power supply for BP-26, BP 1.5, BP-2, 10B.  
In: A/C Mains  
Out: 4 ea. XLR-6 DC voltage  
Control: DC Trigger  
A x P: 7cm x 32,5cm Peso: 7Kg

### PS-3

1.259,00 €



Highly regulated DC power supply for BP-26, BP 1.5, BP-2, 10B.  
In: A/C Mains  
Out: 1 ea. XLR-6 DC voltage  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 2,44Kg

## Tele comando BR-2

458,00 €



Machined aluminum, EL backlit Bryston universal remote control. Controls most Bryston electronics

## Pré-Amplificadores Phono

### BP-2 MM

1.145,00 €



Active class-A phono preamp with 42dB of gain and selectable load capacitance. For MM and high output MC cartridges.  
Requires MPS-2 or PS-3 power supply  
In: RCA + ground lug  
Out: 2 RCA  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,58Kg  
Se usado com MPS-2 necessita de adaptador

**BP-2 MM/MC**

**2.003,00 €**



Active gain stage plus 20 or 30 dB step up transformer for medium and low output MC cartridges respectively. Requires MPS-2 or PS-3 power supply  
In: RCA + ground lug  
Out: RCA  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,7Kg  
Se usado com MPS-2 necessita de adaptador  
Choose BP-2 20 for med output (0.3-1.0mV) cartridges. BP-2 30 for low output (0.1-0.3mV) cartridges

**TF-2**

**1.717,00 €**



Passive 20 or 30 dB step up transformer for medium and low output MC cartridges respectively. Use with MM gain stage when coupled with MC cartridge.  
In: RCA + ground lug  
Out: RCA  
Control: DC Trigger  
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,58Kg  
Choose TF-2 20 for med output (0.3-0.5mV) cartridges  
TF-2 30 for low output (0.1-0.3mV) cartridges. Either is OK for 0.3mV

**Cabo adaptador MPS-2 para BP-2**

**103,00 €**



## Crossovers electrónicos analógicos

### 10B-STD

**5.938,00 €**



Full analog ultra low distortion line level selectable point and slope crossover for active loudspeakers.

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

### 10B-SUB

**5.938,00 €**



Full analog ultra low distortion line level selectable point and slope crossover for integrating a subwoofer.

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

### 10B-LR

**5.938,00 €**

Full analog ultra low distortion line level modular fixed-point Linkwitz Riley crossover for active loudspeakers (STD)

In: L/R analog pair (See Options)


Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

### BAX-1 DSP crossover

**4.005,00 €**



In: 2-channel XLR from preamplifier

Out: low, mid high for each channel. XLR only.

Network connection required to enable web user interface for configuration.

A x P: 7cm x 28cm Peso: 5,6Kg

## Bryston Isolation Transformers - Reguladores de tensão - multi zona

### BIT16 AVR2

**11.670,00 €**

Power isolation transformer with voltage regulation and network control

In: 250V IEC 20A

Out: 220-240V 16A

Control:TCP/IP, RS232, single zone

A x P: 25cm x 55,8cm Peso: 55,8Kg

9 tomadas

### BIT8 AVR2

**9.839,00 €**

Power isolation transformer with voltage regulation and network control

In: 250V IEC 15A

Out: 220-240V 8A

Control:TCP/IP, RS232, single zone

A x P: 20,3cm x 48,3cm Peso: 38,5Kg

6 tomadas

## Bryston Isolation Transformers - Reguladores de tensão

### BIT16 AVR

**13.729,00 €**

Power isolation transformer with voltage regulation and network control  
In: 250V IEC 20A  
Out: 220-240V 16A  
Control:TCP/IP, RS232, single zone  
A x P: 25cm x 55,8cm Peso: 55,8Kg  
9 tomadas

### BIT8 AVR

**10.983,00 €**

Power isolation transformer with voltage regulation and network control  
In: 250V IEC 15A  
Out: 220-240V 8A  
Control:TCP/IP, RS232, single zone  
A x P: 20,3cm x 48,3cm Peso: 38,5Kg  
6 tomadas

## Bryston Isolation Transformers

### BIT16

**8.924,00 €**



Power isolation transformer with Series Mode Surge Protection  
In: 250V IEC 15A  
Out: 220-240V 16A  
A x P: 20,3cm x 41,9cm Peso: 48Kg  
8 tomadas

### BIT8

**6.865,00 €**



Power isolation transformer  
In: 250V IEC 15A  
Out: 220-240V 8A  
A x P: 15,8cm x 29,2cm Peso: 34Kg  
5 tomadas

Modelos disponiveis com face em preto ou em aluminio.

Frente dsiponivel em 17", 19" e alguns modelos com montagem Pro rack

Cor standard do Led Verde. Led azul disponivel por encomenda.

## Colunas Modelo T Model T signature

**9.610,00 €**



Flagship full range floor standing loudspeakers with upgraded outboard passive crossovers. Up to 118dB before compression  
Crossover In / Out: 3 pairs 5 way binding posts with shorting straps.

Speaker Input: tri-wire binding posts.

Includes: Grilles, outboard passive crossovers. spikes, rubber feet.

A x L x P: 130 x 26,6 x 46,7cm Peso: 49Kg

Impedance: 4Ω Sensitivity: 91dB Response: 25Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**10.571,00 €**

**15.376,00 €**

**11.052,00 €**

## Model T

**9.313,00 €**



Full range floor standing loudspeakers with internal passive crossovers. Up to 118dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 130 x 26,6 x 46,7cm Peso: 49Kg

Impedance: 4Ω Sensitivity: 91dB Response: 25Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**10.245,00 €**

**14.901,00 €**

**10.710,00 €**

## Middle T

**7.048,00 €**



to 112dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 100 x 26,6 x 46,7cm Peso: 36,7Kg

Impedance: 4Ω Sensitivity: 88dB Response: 33Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**7.753,00 €**

**11.277,00 €**

**8.106,00 €**

## Mini T

**4.279,00 €**



Large format bookshelf loudspeakers with internal passive crossovers. Up to 112dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 57,1 x 26,6 x 25,4cm Peso: 19Kg

Impedance: 4Ω Sensitivity: 86dB Response: 33Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**4.707,00 €**

**6.847,00 €**

**4.921,00 €**

## TC1 Centre

**5.034,00 €**



Large format center loudspeaker with internal passive crossovers.

Up to 118dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 26,6 x 100 x 41,9cm Peso: 49Kg

Impedance: 4Ω Sensitivity: 91dB Response: 35Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**5.538,00 €**

**8.055,00 €**

**5.790,00 €**

## TC1 - Mini center

**3.776,00 €**



Medium format center loudspeaker with internal passive

crossovers. Up to 112dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 26,6 x 73,5 x 25cm Peso: 25Kg

Impedance: 4Ω Sensitivity: 88dB Response: 40Hz-22kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**4.154,00 €**

**6.042,00 €**

**4.343,00 €**

## Model T Sub

**6.293,00 €**



Powered Subwoofer. 3x8" bass drivers, 600W Bryston Amp.

Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger

Adjustments: Level, Low pass, Polarity,

Includes: Grilles, spikes, rubber feet.

A x L x P: 98,5 x 26,7 x 42,4cm Peso: 48Kg

Power: 600W Response: 18Hz-150Hz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**6.923,00 €**

**10.069,00 €**

**7.237,00 €**

## Mini T Sub

**4.405,00 €**



Powered Subwoofer. 2x8" bass drivers, 600W Bryston Amp.

Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger

Adjustments: Level, Low pass, Polarity,

Includes: Grilles, spikes, rubber feet.

A x L x P: 61 x 26,7 x 42,4cm Peso: 42Kg

Power: 600W Response: 25Hz-150Hz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

**4.846,00 €**

**7.048,00 €**

**5.066,00 €**

## T12-Sub

**6.293,00 €**



Powered Subwoofer. 2x12" bass drivers, 600W Bryston Amp. Dipole  
 Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 61 x 26,7 x 42,4cm Peso: 47,6Kg  
 Power: 600W Response: 18Hz-150Hz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**6.923,00 €**

**10.069,00 €**

**7.237,00 €**

## T8-Sub

**4.405,00 €**



Powered Subwoofer. 2x8" bass drivers, 600W Bryston Amp. Dipole  
 Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 48,2 x 48,2 x 48,2cm Peso: 40Kg  
 Power: 600W Response: 25Hz-150Hz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**4.846,00 €**

**7.048,00 €**

**5.066,00 €**

## Colunas Modelo A

### A1

**5.458,00 €**



Near full range floor standing loudspeakers. Up to 114dB before compression  
 Speaker Input: Bi-wire binding posts.  
 Includes: Grilles, outboard passive crossovers. spikes, rubber feet.  
 A x L x P: 120 x 23,5 x 43,2cm Peso: 31,8Kg  
 Impedance: 4Ω Sensitivity: 88dB Response: 31Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**6.004,00 €**

**8.733,00 €**

**6.277,00 €**

### A2

**4.359,00 €**



Near full range floor standing loudspeakers with internal passive crossovers. Up to 114dB before compression  
 Speaker Input: bi-wire binding posts.  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 100 x 23,5 x 43,2cm Peso: 28,1Kg  
 Impedance: 4Ω Sensitivity: 87dB Response: 31Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**4.795,00 €**

**6.975,00 €**

**5.013,00 €**

**A3** **3.741,00 €**



Floor standing loudspeakers with internal passive crossovers. Up to 111dB before compression  
 Speaker Input: bi-wire binding posts.  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 95,3 x 23,5 x 43,2cm Peso: 24Kg  
 Impedance: 6Ω Sensitivity: 88dB Response: 40Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**4.116,00 €**  
**5.986,00 €**  
**4.303,00 €**

**Mini A** **1.911,00 €**



Bookshelf loudspeakers notable for their bass extension, and 3 way architecture - unusual in a speaker this size at this price. Up to 100dB before compression.  
 Speaker Input: Bi-wire binding posts.  
 Includes: Grilles, outboard passive crossovers. spikes, rubber feet.  
 A x L x P: 39,4 x 21,6 x 21cm Peso: 24Kg  
 Impedance: 8Ω Sensitivity: 87dB Response: 60Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**2.103,00 €**  
**3.058,00 €**  
**2.198,00 €**

**AC-1 center** **2.517,00 €**



High power center loudspeaker for large home theatres. Up to 111dB before compression  
 Speaker Input: bi-wire binding posts.  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 23,5 x 100 x 43,2cm Peso: 25,8Kg  
 Impedance: 4Ω Sensitivity: 88dB Response: 34Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**2.769,00 €**  
**4.028,00 €**  
**2.895,00 €**

**AC-1 mini center** **1.968,00 €**



High power center loudspeaker for medium and large home theatres. Up to 111dB before compression  
 Speaker Input: bi-wire binding posts.  
 Includes: Grilles, spikes, rubber feet.  
 A x L x P: 29,2 x 76,2 x 35,3cm Peso: 22Kg  
 Impedance: 6Ω Sensitivity: 86dB Response: 45Hz-20kHz ±3dB  
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
 Nogueira Espresso, Acer, pintura mate  
 Roseira Santos  
 Roseira Vermelha

**2.165,00 €**  
**3.149,00 €**  
**2.264,00 €**

## AC-1 micro center

744,00 €



Micro center loudspeaker for small to medium home theatres.  
Fits in many credenza center drawers.  
Speaker Input: bi-wire binding posts.  
Includes: Grilles, rubber feet.  
A x L x P: 19,1 x 43,2 x 19,1cm Peso: 6,4Kg  
Impedance: 8Ω Sensitivity: 91dB Response: 95Hz-20kHz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

819,00 €

1.191,00 €

856,00 €

## Model A Sub

2.975,00 €



High performance subwoofer. 2x10" drivers dipole with 400w amplifier. Max output 110dB  
Input: high level binding posts, RCA with daisy chain passthrough  
Adjustments: Crossover, polarity, level  
Includes: Grilles, spikes, rubber feet.  
A x L x P: 43 x 45 x 38,5cm Peso: 22Kg  
Power: 400w Response: 31Hz-150Hz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

3.273,00 €

4.760,00 €

3.422,00 €

## Colunas arquitetónicas

### TIW - In wall

Por Unidade

824,00 €



Audiophile grade 3-way in-wall speaker. Perfect match for T and A Series. Permanent back box. Dog clamp mounting  
Speaker Input: Binding posts.  
Includes: Grilles  
A x L x P: 35,6 x 19,6 x 8,8cm Peso: 5Kg  
Impedance: 8Ω Sensitivity: 87dB Response: 75Hz-20kHz ±3dB  
Acabamento aro em branco e grelha em aço perfurado

### TOW - On wall

Por Unidade

1.133,00 €



Audiophile grade 3-way on-wall speaker. Perfect match for T and A Series. Innovative combo binding post clamp mounting  
Includes: Grilles  
A x L x P: 39,4 x 21,6 x 21cm Peso: 24Kg  
Impedance: 8Ω Sensitivity: 87dB Response: 75Hz-20kHz ±3dB  
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash  
Nogueira Espresso, Acer, pintura mate  
Roseira Santos  
Roseira Vermelha

1.247,00 €

1.813,00 €

1.303,00 €

## CIW - In Ceiling

Por Unidade

**378,00 €**



Audiophile grade 2-way in-ceiling speaker. Perfect match for T and A Series.

Includes: Grilles

dia. x P: 24,6 x 11,7cm

Peso: 5,44Kg

Impedance: 8Ω Sensitivity: 88dB Response: 70Hz-22kHz ±3dB

## BryFi Wireless High Resolution Audio

### BW-1

**2.117,00 €**



Dual 3-way Mini A Loudspeakers with built in 75 watt x 2 channel amplifier. Wifi, Ethernet, Tidal, High Resolution local library. All

controlled with BryFi App on Android or iOS

Music Input: USB, NAS, UPnP, Tidal, Airplay,

Network: WiFi 802.11n, hotspot, 100mbps ethernet

A x L x P: 26 x 49,5 x 17,14cm

Peso: 7,25Kg + baterias opcionais

Inclui: Fonte de alimentação externa

Acabamento parte circundante: Branco ou Preto

Acabamento no topo: black ash,

natural cherry, boston cherry real

wood, preto brilho, ou branco brilho



Baterias **229,00 €**