

Tabela de Preços - Maio 2020

PVP recomendado IVA a 23% incluído.

Modelo

Preço Final

Conversores Digital Analógico

BDA-3.14

4.787,00 €



In: 4 HDMI, 2 USB, S/PDIF, AES/EBU, Óptica
built in streaming (supports up to PCM 192/24)
Out: Fixed level stereo XLR, RCA. 4K vídeo pass through
DSD-256, PCM 384kHz / 32 bit. TCP/IP and RS232 control.
A x P: 8,45cm x 29,5cm Peso: 3,97Kg
inclui telecomando BR-4

BDA-3

4.331,00 €



In: 4 HDMI, 2 USB, S/PDIF, AES/EBU, Óptica
Out: Fixed level stereo XLR, RCA. 4K vídeo pass through
DSD-256, PCM 384kHz / 32 bit. TCP/IP and RS232 control.
A x P: 8,45cm x 29,5cm Peso: 3,97Kg

BDA-2

3.408,00 €



In: USB, S/PDIF, AES/EBU, Óptica
Out: Fixed level stereo XLR, RCA.
PCM 192kHz / 24 bit. RS232 control.
A x P: 6,98cm x 29,5cm Peso: 5,67Kg

Digital Music Players

BDP-3

4.889,00 €



Music Storage: USB Drive, NAS, Tidal, Internal
Out: PCM only: S/PDIF (BNC) and AES/EBU,
DSD & PCM: USB
Control with Bryston's web-app. Compatível com Tidal, Roon,
A x P: 6,98cm x 29,5cm Peso: 5,67Kg
Opção com wifi - montagem só em fabrica.

456,00 €

BDP-π

1.812,00 €



Music Storage: USB Drive, NAS, Tidal
Out: PCM only: S/PDIF (BNC) and USB
Control with Bryston's web-app. Compatível com Tidal, Roon,
A x L x P: 6,98 x 21,6 x Peso: 1,18Kg
Opção com wifi - antena USB externa

137,00 €

Leitores Ópticos BCD-3

4.775,00 €



CD Player compatível with CD, CD-R, CD-RW
Out: Analog unbalanced RCA & balanced XLR,
Digital S/PDIF (RCA) AES/EBU (XLR)
Control: RS232, TCP/IP, Web App, IR.
A x P: 6,98cm x 29,5cm Peso: 5,67Kg
Telecomando BR-2 não incluído.

Processadores Surround SP3

12.069,00 €



Premium surround processor with all discrete analog circuitry and 4K vídeo passthrough.
Input: 7 HDMI (all HDCP 2.2), USB, S/PDIF, Toslink, balanced and unbalanced analog
Out: 2 HDMI, S/PDIF, Toslink, balanced and unbalanced analog, 2 assignable analog out, Zone 2.
Control: RS232, TCP/IP, Web App, IR



SP4

23.931,00 €



Object based immersive theater processor.
Discrete 16 channel analog output. 4K with HDR passthrough.
Input: 7 HDMI (all HDCP 2.2), S/PDIF, Toslink, unbalanced analog
Out: 2 HDMI, 16 ch assignable balanced analog, 2 downmix balanced analog out,
Control: RS232, TCP/IP, Web App,
A x P: 16cm x 38,7cm Peso: 11,3Kg

Amplificadores

28B³

14.348,00 €



Cubed Series monoblock amplifier
Channels: 1
Rated Power: 1000W (8Ω) 1800 (4Ω)
Input: Balanced XLR, and unbalanced RCA
Out: 2 ea. 5 way binding post pair
Control: DC trigger
A x P: 20,5cm x 46,7cm Peso: 42Kg

7B³

8.308,00 €



Cubed Series monoblock amplifier
Channels: 1
Rated Power: 600W (8Ω) 900 (4Ω)
Input: Balanced XLR/TRS, and unbalanced RCA
Out: 5 way binding posts
Control: DC trigger
A x P: 16cm x 41cm Peso: 24Kg



14B³

13.208,00 €



Cubed Series dual-mono amplifier
Channels: 2
Rated Power: 600W (8Ω) 900 (4Ω)
Input: Balanced XLR/TRS, and unbalanced RCA
Out: 5 way binding posts
Control: DC trigger
A x P: 20,5cm x 46,7cm Peso: 41,2Kg

4B³

8.308,00 €



Cubed Series dual-mono amplifier
Channels: 2
Rated Power: 300W (8Ω) 500 (4Ω)
Input: Balanced XLR/TRS, and unbalanced RCA
Out: 5 way binding posts
Control: DC trigger
A x P: 16cm x 41cm Peso: 19Kg



3B³

6.827,00 €



Cubed Series dual-mono amplifier
Channels: 2
Rated Power: 200W (8Ω) 300 (4Ω)
Input: Balanced XLR/TRS, and unbalanced RCA
Out: 2 ea. binding post pair
Control: DC trigger
A x P: 16cm x 32,5cm Peso: 15,4Kg

2.5B³

Cubed Series dual-mono amplifier

5.117,00 €



Channels: 2
 Rated Power: 135W (8Ω) 180 (4Ω)
 Input: Balanced XLR/TRS, and unbalanced RCA
 Out: 5 way binding posts
 Control: DC trigger
 A x P: 11,4cm x 36,8cm Peso: 12,7Kg

2B-LP Pro

3.636,00 €



Dual-mono amplifier
 Channels: 2
 Rated Power: 60W (8Ω) 100W (4Ω) 200W BTL
 Input: 2 Balanced XLR/TRS
 Out: 2 ea. binding post pair
 A x P: 5,8cm x 26,6cm Peso: 8,1Kg
 só disponível em preto
 Largura 19" montável em rack

6BSST² 3 canais

12.069,00 €



SST² Series modular tri-mono amplifier
 Channels: 3
 Rated Power: 300W (8Ω) 500 (4Ω)
 Input: Balanced XLR/TRS, and unbalanced RCA
 Out: 5 way binding posts
 Control: DC trigger
 A x P: 20,5cm x 46,8cm Peso: 41,7Kg

9BSST² multi canal

15.943,00 €



SST² Series multi channel modular amplifier
 Channels: 3 4 or 5
 Rated Power: 140W (8Ω) 200 (4Ω)
 Input: Balanced XLR/TRS, and unbalanced RCA
 Out: 5 way binding posts
 Control: DC trigger
 A x P: 16cm x 48cm Peso: 34,5Kg

5 canais

13.664,00 €

4 canais

11.955,00 €

3 canais

Modulo de amp para 9BSST²

2.268,00 €



875HT

13.208,00 €



Bridgeable 8 Channel Class A/B Amplifier
 Channels: 8, or bridge pairs
 Rated Power: 75W(8Ω) 100(4Ω) 250W BTL(8Ω)
 Input: Balanced XLR/TRS, and unbalanced RCA
 Out: 5 way binding posts
 Control: DC trigger
 A x P: 8,9cm x 48cm Peso: 15,5Kg

21B³

14.348,00 €



Asymmetric 3 Channel Class A/B Amplifier
 Channels: 3
 Rated Power: 1x600W(8Ω) + 2x300(8Ω)
 Input: Balanced XLR/TRS, and unbalanced RCA
 Out: 5 way binding posts
 Control: DC trigger
 A x P: 20,5cm x 46,7cm Peso: 41,7Kg

Amplificadores Integrados

B-135³

8.194,00 €



Integrated w/ DAC and MM options
 Channels: 2 Rated Power: 135W(8Ω) 180(4Ω)
 Input: 6 unbalanced RCA, 4 with digital option.
 tape loop, 1 with MM phono option
 Out: 5 way binding posts, 1/4" headphone,
 RCA preamp out.
 Control: DC trigger, RS232
 A x P: 11,4cm x 37cm Peso: 12Kg
 inclui telecomando BR-4



B-135³ DA c/ DAC

9.049,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

B-135³ P c/ phono MM

9.049,00 €

B-135³ DAP c/ DAC e Phono MM

9.903,00 €

B-60R

5.687,00 €



Integrated w/ DAC and MM options
 Channels: 2 Rated Power: 60W(8Ω) 100(4Ω)
 Input: 4 unbalanced RCA, 1 with digital option.
 tape loop, 2 with MM phono option
 Out: 5 way binding posts, 1/4" headphone,
 RCA preamp out. Control: DC trigger
 A x P: 7cm x 32,5cm Peso: 7,7Kg
 inclui telecomando BR-4

B-60 DA c/ DAC

6.542,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

B-60 P c/ phono MM

6.542,00 €

Amplificador Headphones

BHA-1

2.838,00 €



Headphone amplifier with balanced and single ended outputs
 In: Analog RCA, XLR, Mini TRS
 Out: XLR Preamp out (rear), L/R XLR-3, XLR-4, 1/4" TRS
 A x P: 7cm x 32,5cm Peso: 6Kg



Pré-Amplificadores

BP-26

5.003,00 €



Flagship stereo preamp w/ DAC and MM/MC options.

Necessita fonte de alimentação MPS-2 ou PS-3.

Channels: 2

Input: 2 XLR balanced, 5 RCA unbalanced. 2

with digital option. tape loop, 1 with MM/MC phono option

Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out.

Control: DC trigger

A x P: 7cm x 32,5cm Peso: 5,6Kg

inclui telecomando BR-4

B-26 DA c/ DAC

5.858,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

B-26 P c/ phono MM

5.858,00 €

B-26 DAP c/ DAC e Phono MM

6.713,00 €

WHAT HI-FI?
SOUND AND VISION



BP-17³

5.687,00 €



Stereo preamp w/ DAC and MM phono options.

Channels: 2

Input: 2 XLR, 4 RCA (2 with digital option. tape

loop, 1 with MM phono option)

Out: 1 pair XLR, 1 pair RCA, 1/4" headphone, RCA Tape out.

Control: DC trigger, RS232

A x P: 11,4cm x 37cm Peso: 5Kg

inclui telecomando BR-4

BP-17³ DA c/ DAC

6.542,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

BP-17³ P c/ phono MM

6.542,00 €

BP-17³ DAP c/ DAC e Phono MM

7.396,00 €

BP-6

5.003,00 €



Stereo preamp w/ DAC and MM phono options.

Channels: 2

Input: 4 unbalanced RCA, 1 with digital option.

tape loop, 2 with MM phono option

Out: 1 pair RCA, 1/4" headphone, tape out.

Control: DC trigger

A x P: 7cm x 32,5cm Peso: 7,7Kg

Telecomando BR-2 opcional

BP-6 DA c/ DAC

5.858,00 €

Inputs: 2 RCA + 2 Toslink, 24/96KHz

BP-6 P c/ phono MM

5.858,00 €

Fontes de alimentação

MPS-2

2.268,00 €



Highly regulated DC power supply for BP-26, BP 1.5, BP-2, 10B.

In: A/C Mains

Out: 4 ea. XLR-6 DC voltage

Control: DC Trigger

A x P: 7cm x 32,5cm Peso: 7Kg

PS-3

1.368,00 €



Highly regulated DC power supply for BP-26, BP 1.5, BP-2, 10B.
In: A/C Mains
Out: 1 ea. XLR-6 DC voltage
Control: DC Trigger
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 2,44Kg

Tele comando BR-2

456,00 €



Machined aluminum, EL backlit Bryston universal remote control. Controls most Bryston electronics

Pré-Amplificadores Phono

BP-2 MM

1.254,00 €



Active class-A phono preamp with 42dB of gain and selectable load capacitance. For MM and high output MC cartridges.
Requires MPS-2 or PS-3 power supply
In: RCA + ground lug
Out: 2 RCA
Control: DC Trigger
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,58Kg
Se usado com MPS-2 necessita de adaptador

BP-2 MM/MC

2.109,00 €



Active gain stage plus 20 or 30 dB step up transformer for medium and low output MC cartridges respectively. Requires MPS-2 or PS-3 power supply
In: RCA + ground lug
Out: RCA
Control: DC Trigger
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,7Kg
Se usado com MPS-2 necessita de adaptador
Choose BP-2 20 for med output (0.3-1.0mV) cartridges. BP-2 30 for low output (0.1-0.3mV) cartridges

TF-2

1.824,00 €



Passive 20 or 30 dB step up transformer for medium and low output MC cartridges respectively. Use with MM gain stage when coupled with MC cartridge.
In: RCA + ground lug
Out: RCA
Control: DC Trigger
A x L x P: 6,98 x 14,5 x 21,6cm Peso: 1,58Kg
Choose TF-2 20 for med output (0.3-0.5mV) cartridges
TF-2 30 for low output (0.1-0.3mV) cartridges. Either is OK for 0.3mV

Cabo adaptador MPS-2 para BP-2

103,00 €

Crossovers electrónicos analógicos

10B-STD

6.827,00 €



Full analog ultra low distortion line level selectable point and slope crossover for active loudspeakers.

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

10B-SUB

6.827,00 €



Full analog ultra low distortion line level selectable point and slope crossover for integrating a subwoofer.

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

10B-LR

6.827,00 €

Full analog ultra low distortion line level modular fixed-point Linkwitz Riley crossover for active loudspeakers (STD)

In: L/R analog pair (See Options)

Out: Left and right HP and LP analog output.

A x P: 7cm x 26,6cm Peso: 6,8Kg

Alimentação: escolher interna ou socket para MPS-2

BAX-1 DSP crossover

3.989,00 €



In: 2-channel XLR from preamplifier

Out: low, mid high for each channel. XLR only.

Network connection required to enable web user interface for configuration.

A x P: 7cm x 28cm Peso: 5,6Kg

Bryston Isolation Transformers - Reguladores de tensão - multi zona

BIT16 AVR2

14.815,00 €

Power isolation transformer with voltage regulation and network control

In: 250V IEC 20A

Out: 220-240V 16A

Control:TCP/IP, RS232, single zone

A x P: 25cm x 55,8cm Peso: 55,8Kg

9 tomadas

BIT8 AVR2

12.764,00 €

Power isolation transformer with voltage regulation and network control

In: 250V IEC 15A

Out: 220-240V 8A

Control:TCP/IP, RS232, single zone

A x P: 20,3cm x 48,3cm Peso: 38,5Kg

6 tomadas

Bryston Isolation Transformers - Reguladores de tensão

BIT16 AVR

13.219,00 €

Power isolation transformer with voltage regulation and network control
In: 250V IEC 20A
Out: 220-240V 16A
Control: TCP/IP, RS232, single zone
A x P: 25cm x 55,8cm Peso: 55,8Kg
9 tomadas

BIT8 AVR

11.168,00 €

Power isolation transformer with voltage regulation and network control
In: 250V IEC 15A
Out: 220-240V 8A
Control: TCP/IP, RS232, single zone
A x P: 20,3cm x 48,3cm Peso: 38,5Kg
6 tomadas

Bryston Isolation Transformers

BIT16

9.573,00 €



Power isolation transformer with Series Mode Surge Protection
In: 250V IEC 15A
Out: 220-240V 16A
A x P: 20,3cm x 41,9cm Peso: 48Kg
8 tomadas

BIT8

7.522,00 €



Power isolation transformer
In: 250V IEC 15A
Out: 220-240V 8A
A x P: 15,8cm x 29,2cm Peso: 34Kg
5 tomadas

Modelos disponiveis com face em preto ou em aluminio.

Frente dsiponivel em 17", 19" e alguns modelos com montagem Pro rack

Cor standard do Led Verde. Led azul disponivel por encomenda.

Colunas Modelo T Model T

9.277,00 €



Full range floor standing loudspeakers with internal passive crossovers. Up to 118dB before compression
Speaker Input: bi-wire binding posts.
Includes: Grilles, spikes, rubber feet.
A x L x P: 130 x 26,6 x 46,7cm Peso: 49Kg
Impedance: 4Ω Sensitivity: 91dB Response: 25Hz-22kHz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

10.205,00 €

14.844,00 €

10.669,00 €

Middle T

7.020,00 €



to 112dB before compression
Speaker Input: bi-wire binding posts.
Includes: Grilles, spikes, rubber feet.
A x L x P: 100 x 26,6 x 46,7cm Peso: 36,7Kg
Impedance: 4Ω Sensitivity: 88dB Response: 33Hz-22kHz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

7.722,00 €

11.232,00 €

8.073,00 €

Mini T

4.262,00 €



Large format bookshelf loudspeakers with internal passive crossovers. Up to 112dB before compression
Speaker Input: bi-wire binding posts.
Includes: Grilles, spikes, rubber feet.
A x L x P: 57,1 x 26,6 x 25,4cm Peso: 19Kg
Impedance: 4Ω Sensitivity: 86dB Response: 33Hz-22kHz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

4.689,00 €

6.820,00 €

4.902,00 €

TC1 Centre

5.015,00 €



Large format center loudspeaker with internal passive crossovers.
Up to 118dB before compression
Speaker Input: bi-wire binding posts.
Includes: Grilles, spikes, rubber feet.
A x L x P: 26,6 x 100 x 41,9cm Peso: 49Kg
Impedance: 4Ω Sensitivity: 91dB Response: 35Hz-22kHz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

5.517,00 €

8.024,00 €

5.768,00 €

TC1 - Mini center

3.761,00 €



Medium format center loudspeaker with internal passive crossovers. Up to 112dB before compression
Speaker Input: bi-wire binding posts.
Includes: Grilles, spikes, rubber feet.
A x L x P: 26,6 x 73,5 x 25cm Peso: 25Kg
Impedance: 4Ω Sensitivity: 88dB Response: 40Hz-22kHz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

4.138,00 €

6.018,00 €

4.326,00 €

Model T Sub

6.268,00 €



Powered Subwoofer. 3x8" bass drivers, 600W Bryston Amp.
Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger
Adjustments: Level, Low pass, Polarity,
Includes: Grilles, spikes, rubber feet.
A x L x P: 98,5 x 26,7 x 42,4cm Peso: 48Kg
Power: 600W Response: 18Hz-150Hz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

6.895,00 €

10.029,00 €

7.209,00 €

Mini T Sub

4.388,00 €



Powered Subwoofer. 2x8" bass drivers, 600W Bryston Amp.
Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger
Adjustments: Level, Low pass, Polarity,
Includes: Grilles, spikes, rubber feet.
A x L x P: 61 x 26,7 x 42,4cm Peso: 42Kg
Power: 600W Response: 25Hz-150Hz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

4.827,00 €

7.021,00 €

5.047,00 €

T12-Sub

6.268,00 €



Powered Subwoofer. 2x12" bass drivers, 600W Bryston Amp.
Dipole
Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger
Includes: Grilles, spikes, rubber feet.
A x L x P: 61 x 26,7 x 42,4cm Peso: 47,6Kg
Power: 600W Response: 18Hz-150Hz ±3dB
Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
Nogueira Espresso, Acer, pintura mate
Roseira Santos
Roseira Vermelha

6.895,00 €

10.029,00 €

7.209,00 €

T8-Sub

4.388,00 €



Powered Subwoofer. 2x8" bass drivers, 600W Bryston Amp. Dipole
Input: RCA and XLR with daisy-chain outputs, high level binding posts, Trigger

Includes: Grilles, spikes, rubber feet.

A x L x P: 48,2 x 48,2 x 48,2cm Peso: 40Kg

Power: 600W Response: 25Hz-150Hz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

4.827,00 €

7.021,00 €

5.047,00 €

Colunas Modelo A

A1

5.436,00 €



Near full range floor standing loudspeakers. Up to 114dB before compression

Speaker Input: Bi-wire binding posts.

Includes: Grilles, outboard passive crossovers. spikes, rubber feet.

A x L x P: 120 x 23,5 x 43,2cm Peso: 31,8Kg

Impedance: 4Ω Sensitivity: 88dB Response: 31Hz-20kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

5.980,00 €

8.698,00 €

6.252,00 €

A2

4.342,00 €



Near full range floor standing loudspeakers with internal passive crossovers. Up to 114dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 100 x 23,5 x 43,2cm Peso: 28,1Kg

Impedance: 4Ω Sensitivity: 87dB Response: 31Hz-20kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

4.777,00 €

6.948,00 €

4.994,00 €

A3

3.727,00 €



Floor standing loudspeakers with internal passive crossovers. Up to 111dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 95,3 x 23,5 x 43,2cm Peso: 24Kg

Impedance: 6Ω Sensitivity: 88dB Response: 40Hz-20kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

Roseira Santos

Roseira Vermelha

4.100,00 €

5.964,00 €

4.287,00 €

Mini A

1.904,00 €



Bookshelf loudspeakers notable for their bass extension, and 3 way architecture - unusual in a speaker this size at this price. Up to 100dB before compression.

Speaker Input: Bi-wire binding posts.

Includes: Grilles, outboard passive crossovers. spikes, rubber feet.

A x L x P: 39,4 x 21,6 x 21cm Peso: 24Kg

Impedance: 8Ω Sensitivity: 87dB Response: 60Hz-20kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

2.095,00 €

Roseira Santos

3.047,00 €

Roseira Vermelha

2.190,00 €

AC-1 center

2.508,00 €



High power center loudspeaker for large home theatres. Up to 111dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 23,5 x 100 x 43,2cm Peso: 25,8Kg

Impedance: 4Ω Sensitivity: 88dB Response: 34Hz-20kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

2.759,00 €

Roseira Santos

4.013,00 €

Roseira Vermelha

2.885,00 €

AC-1 mini center

1.961,00 €



High power center loudspeaker for medium and large home theatres. Up to 111dB before compression

Speaker Input: bi-wire binding posts.

Includes: Grilles, spikes, rubber feet.

A x L x P: 29,2 x 76,2 x 35,3cm Peso: 22Kg

Impedance: 6Ω Sensitivity: 86dB Response: 45Hz-20kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

2.158,00 €

Roseira Santos

3.138,00 €

Roseira Vermelha

2.256,00 €

AC-1 micro center

741,00 €



Micro center loudspeaker for small to medium home theatres.

Fits in many credenza center drawers.

Speaker Input: bi-wire binding posts.

Includes: Grilles, rubber feet.

A x L x P: 19,1 x 43,2 x 19,1cm Peso: 6,4Kg

Impedance: 8Ω Sensitivity: 91dB Response: 95Hz-20kHz ±3dB

Acabamento standard: Nogueira, Cerejeira Boston, Black Ash

Nogueira Espresso, Acer, pintura mate

816,00 €

Roseira Santos

1.186,00 €

Roseira Vermelha

853,00 €

Model A Sub

2.963,00 €



High performance subwoofer. 2x10" drivers dipole with 400w amplifier. Max output 110dB
 Input: high level binding posts, RCA with daisy chain passthrough
 Adjustments: Crossover, polarity, level
 Includes: Grilles, spikes, rubber feet.
 A x L x P: 43 x 45 x 38,5cm Peso: 22Kg
 Power: 400w Response: 31Hz-150Hz ±3dB
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
 Nogueira Espresso, Acer, pintura mate
 Roseira Santos
 Roseira Vermelha

3.260,00 €

4.741,00 €

3.408,00 €

Colunas arquitectónicas

TIW - In wall

Por Unidade

821,00 €



Audiophile grade 3-way in-wall speaker. Perfect match for T and A Series. Permanent back box. Dog clamp mounting
 Speaker Input: Binding posts.
 Includes: Grilles
 A x L x P: 35,6 x 19,6 x 8,8cm Peso: 5Kg
 Impedance: 8Ω Sensitivity: 87dB Response: 75Hz-20kHz ±3dB
 Acabamento aro em branco e grelha em aço perfurado

TOW - On wall

Por Unidade

1.129,00 €



Audiophile grade 3-way on-wall speaker. Perfect match for T and A Series. Innovative combo binding post clamp mounting
 Includes: Grilles
 A x L x P: 39,4 x 21,6 x 21cm Peso: 24Kg
 Impedance: 8Ω Sensitivity: 87dB Response: 75Hz-20kHz ±3dB
 Acabamento standard: Nogueira, Cerejeira Boston, Black Ash
 Nogueira Espresso, Acer, pintura mate
 Roseira Santos
 Roseira Vermelha

1.242,00 €

1.807,00 €

1.299,00 €

CIW - In Ceiling

Por Unidade

377,00 €




Audiophile grade 2-way in-ceiling speaker. Perfect match for T and A Series.
 Includes: Grilles
 dia. x P: 24,6 x 11,7cm
 Peso: 5,44Kg
 Impedance: 8Ω Sensitivity: 88dB Response: 70Hz-22kHz ±3dB

BryFi Wireless High Resolution Audio

BW-2

2.109,00 €



Dual 3-way Mini A Loudspeakers with built in 75 watt x 2 channel amplifier. Wifi, Ethernet, Tidal, High Resolution local library. All controlled with BryFi App on Android or iOS
Music Input: USB, NAS, UPnP, Tidal, Airplay,
Network: WiFi 802.11n, hotspot, 100mbps ethernet
A x L x P: 26 x 49,5 x 17,14cm

Peso: 7,25Kg + baterias opcionais

Inclui: Fonte de alimentação externa

Acabamento parte circundante: Branco ou Preto

Acabamento no topo: black ash,

natural cherry, boston cherry real

wood, preto brilho, ou branco brilho

Baterias **228,00 €**



BW-Mini

1.368,00 €

Dual 2-way Mini A Loudspeakers with built in 75 watt x 2 channel amplifier. Approximately 2/3 the size of BW-2

Music Input: USB, NAS, UPnP, Tidal, Airplay, Bluetooth, Spotify, Toslink

Network: WiFi 802.11n, hotspot, 100mbps ethernet

H x W x D: 10.25" x 19.5" x 6.75"

Weight: 16 lbs + optional batteries

Includes: External power suppl

BB-1 Wireless SoundBar and Subwoofer

3.248,00 €



Soundbar and subwoofer combo that works within the BryFi universe

Input: Spotify, Tidal, Airplay, UPnP, NAS, USB disk, Analog 1/8", Optical. Now Roon Ready!

Includes: Grilles, spikes, rubber feet.

W x H x D: 48" x 6.5" x 3" (sound bar), 8" x 16" x 8" sub)

Weight: 22 lbs (sound bar), 24 lbs (sub)

Response: 45Hz-20kHz ±3dB

Power: 100W (sound bar), 100W (sub)