






































Tabela de Preços – Março 2024








PVP recomendado IVA a 23% incluído.











| C-range     |  | Comprimento | pvp recomendado |
|-------------|--|-------------|-----------------|
| Analogico   |  <b>C-line Analogue RCA</b><br>What Hi-Fi? award winner 2015/16/17. Oxygen-free copper multi-stranded conductors (signal, return and ARAY). High flexibility, low density conductor insulation. Over-wrapped foil shielding. Over-moulded Chord RCA plugs with direct gold-plated contact areas for enhanced signal transfer. Turntable compatible.   | 0.5m        | 64,00 €         |
|             |  | 1m          | 79,00 €         |
|             |  | 2m          | 110,00 €        |
|             |  | 3m          | 140,00 €        |
|             |  <b>C-Jack</b><br>3.5mm minijack to 2RCA ou<br>3.5mm to 3.5mm   | 0,75m       | 72,00 €         |
|             |  | 1,5m        | 95,00 €         |
|             |  | 3m          | 140,00 €        |
|             |  <b>C-sub RCA</b><br>Cabo miniatura de alta performance para subwoofers<br>Discreet, multi-strand, tinned copper signal conductor, with low resistance to enable longer lengths. Overlapped screen for increased flexibility, reducing signal loss caused by high-frequency interference. Unique gold plating on RCA plug improves signal transfer. Over-moulded plug surround provides a high reliability connection.  | 3m          | 70,00 €         |
|             |  | 6m          | 116,00 €        |
|             |  | 8m          | 146,00 €        |
|             |  | 10m         | 176,00 €        |
| Digital     |  <b>C-digital RCA</b> ARAY conductor geometry, oxygen free copper conductors. High density over-wrapped foil shielding. Unique direct gold-plated RCA plug improves signal transfer. Over-moulded plug surround provides high reliability and zero conductor compression.   | 0.5m        | 64,00 €         |
|             |  | 1m          | 79,00 €         |
|             |  <b>C-lite Optical</b><br><i>Toslink para Toslink ou Toslink para Minijack todos tamanhos 15cm &amp; 30cm Minijack para Minijack disponiveis</i><br>From pocket-size portable up to longer lengths for use in home systems. Wide bandwidth PMA optical cable with polished ends to improve bandwidth. Central conductor protected by soft PVC internal jacket, with a hard PVC outer jacket limiting crush damage, yet flexible enough to allow a tight bend radius without affecting the light-carrier.<br>Available: Toslink-Toslink, mini-jack to mini-jack, Toslink-mini-jack | 1m          | 79,00 €         |
|             |  | 2m          | 85,00 €         |
|             |  | 3m          | 91,00 €         |
|             |  | 5m          | 98,00 €         |
|             |  | 8m          | 122,00 €        |
|             |  | 10m         | 134,00 €        |
|             |  <b>C-usb</b> Heavy gauge, oxygen-free, silver-plated conductors. Low loss, gas-foamed polyethylene insulation. Twisted pair data conductor configuration. Dual layer, high frequency effective shielding. Gold-plated plug and signal pins.   | 0.75m       | 72,00 €         |
|             |  | 1.5m        | 95,00 €         |
|             |  | 3m          | 140,00 €        |
|             |  | 5m          | 201,00 €        |
|             |  <b>C-stream</b> For audio streaming systems requiring cables with RJ45 connectors. Oxygen-free copper conductors with low density polyethylene insulation, each conductor pair is separately shielded and an overall high density foil shield is applied prior to a vibration-damping outer jacket   | 0.75m       | 76,00 €         |
|             |  | 1.5m        | 87,00 €         |
|             |  | 3m          | 110,00 €        |
|             |  | 5m          | 140,00 €        |
|             |  | 10m         | 216,00 €        |
|             |  | 15m         | 292,00 €        |
|             |  | 20m         | 367,00 €        |
| HDMI        |  <b>C-view HDMI 48GB</b> Ultra-slim HDMI cable with Ethernet. High speed 1080p, 3D-compliant HDMI cable, supports 4K TV and deep colour. Ethernet/audio return, supports all HDMI audio formats. Die-cast gold-plated plug, silver-plated oxygen-free copper signal conductors. Reduced length HDMI plug for easy connection to wall-mounted screens  | 0.75m       | 45,00 €         |
|             |  | 1m          | 49,00 €         |
|             |  | 1.5m        | 57,00 €         |
|             |  | 2m          | 64,00 €         |
| Cabo coluna |  <b>C-screenX</b> A discreet and easy to fit cable, but with the performance benefits of shielding. C-screen is just 7mm in diameter and flexible enough to route around corners with ease. It's finished with a white outer jacket which protects the shielding and makes it virtually invisible against white skirting boards. Available with factory-fitted ChordOhmic silver-plated speaker connectors.<br>Terminado stereo banana-banana<br>Terminado stereo banana-forquilha<br>Terminado stereo forquilha-forquilha  | por m mono  | 13,00 €         |
|             |  | 1 par 2m    | 193,00 €        |
|             |  |             | 215,00 €        |
|             |  |             | 236,00 €        |

| ClearwayX   |   | Comprimento        | pvp recomendado |
|-------------|---|--------------------|-----------------|
| Analogico   |  <b>RCA par</b><br>What Hi-Fi? award winner 2017. Hand-built in the UK. ARAY geometry, conductors of heavier gauge oxygen-free copper, FEP insulation. Dual-layer, counter-wound, heavy gauge foil shielding. Fitted with Chord Company direct silver-plated VEE 3 RCA plugs. Turntable compatible. Also available fitted with a stereo minijack connector.  | 0.5m               | 128,00 €        |
|             |   | 1m                 | 158,00 €        |
|             |   | 1,2m               | 219,00 €        |
|             | RCA para conexão a braço de gira-discos   | m adicional stereo | 61,00 €         |
|             |  Clearway 3.5mm minijack to 2RCA 1m  | 1m                 | 158,00 €        |
|             |   | m adicional stereo | 61,00 €         |
|             |  <b>RCA / DIN ou DIN / DIN</b><br>Ideal for Naim Audio or older Quad equipment, Clearway analogue cables are built in-house with skill and experience. Like the Clearway RCA pairs, the Clearway DIN cables use the same ARAY conductor configuration.   | 1m                 | 158,00 €        |
|             |   | 1m                 | 158,00 €        |
|             |   | adicional stereo   | 61,00 €         |
|             |  <b>Subwoofer RCA</b><br>The same award-winning Clearway specification and ARAY geometry. Ideal subwoofer cable for mid-range surround/multi-channel systems. Fitted with Chord VEE 3 silver-plated RCA plugs. Custom terminations and lengths available.  | 1m                 | 79,00 €         |
|             |   | m adicional        | 31,00 €         |
| Digital     |  <b>XLR par</b><br>Clearway analogue XLR pair is fitted with Neutrik silver-plated plugs and features our unique ARAY conductor configuration. The design benefits from identical conductors for the hot, cold and earth connections.  | 0,5m               | 201,00 €        |
|             |   | 1m                 | 231,00 €        |
|             |   | adicional stereo   | 61,00 €         |
|             |  <b>Clearway HDMI (NOVO)</b><br>(thicker cable and improved shielding for a better quality sound)<br>Supports 8k High Speed (48Gbps)<br>Clearway HDMI 2.0 4k (18Gbps)  | 0.75m              | 91,00 €         |
|             |   | 1.5m               | 113,00 €        |
|             |   | 2m                 | 128,00 €        |
|             |   | 3m                 | 158,00 €        |
|             |   | 5m                 | 219,00 €        |
|             |   | 8m                 | 310,00 €        |
|             |   | 10m                | 370,00 €        |
|             |  <b>Clearway Stream</b><br>Latest slim connector for maximum compatibility<br>High-speed oxygen-free copper conductors<br>Individually shielded, twisted conductor pairs plus overall shield<br>Low-loss low density polyethylene insulation<br>24ct. gold-plated signal contacts<br>Zinc connector jacket<br>Non-compression strain relief system  | 0,75m              | 151,00 €        |
|             |   | 1,5m               | 173,00 €        |
|             |   | 3m                 | 219,00 €        |
|             |   | 5m                 | 279,00 €        |
|             |   | 10m                | 431,00 €        |
|             |   | 15m                | 583,00 €        |
|             |   | 20m                | 734,00 €        |
| Digital     |  <b>USB</b><br>Better plug shielding via zinc alloy sleeved connectors. Gold connector pins. High-bandwidth silver-plated oxygen-free conductors. Double layer foil shielding. High-density braid. Non-compression strain relief system.   | 0,75m              | 143,00 €        |
|             |   | 1,5m               | 189,00 €        |
|             |   | 3m                 | 279,00 €        |
|             |   | 5m                 | 401,00 €        |
|             |  <b>RCA</b><br><b>RCA / MiniJack</b><br><b>BNC</b><br>Tuned ARAY conductor configuration. Available with silver-plated VEE 3 RCA plugs, silver-plated BNC connectors and/or mono mini-jacks. A favourite for miniature/portable DACs, DAPs etc.  | 0.5m               | 128,00 €        |
|             |   | 1m                 | 158,00 €        |
|             |   | 1m                 | 134,00 €        |
|             |   | 1m                 | 158,00 €        |
|             |   | m adicional        | 61,00 €         |
|             |   |                    |                 |
| pc          |  3 x high purity multi-strand copper conductors.<br>PVC internal and external insulation with high mechanical damping factor.<br>Unique dual-foil screen.<br>High density vibration damping outer jacket.<br>Fitted with industry approved high-spec Euro (Schuko) mains plug and 10/16 amp IEC Fig. 8 connector or Fig8 connectors.   | 1m                 | 158,00 €        |
|             |   | 1m                 | 219,00 €        |
|             |   | Metro adicional    | 61,00 €         |
| Cabo coluna |  What Hi-Fi? award winner 2015/16/17. 14 AWG multi-strand oxygen-free copper conductors. FEP insulation. Conductors arranged in twisted-pair configuration. Soft PVC internal jacket and twin contra-wound foil shields to protect from high-frequency noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors.<br><b>Coluna ClearwayX</b><br>Terminado stereo banana-banana<br>Terminado stereo banana-forquilha<br>Terminado stereo forquilha-forquilha | por m mono         | 25,00 €         |
|             |   | 1 par 2m           | 241,00 €        |
|             |   |                    | 263,00 €        |
|             |   |                    | 284,00 €        |
|             |   |                    |                 |









| ShawlineX |   | Comprimento   | pvp recomendado  |                                   |
|-----------|---|---|--|-----------------------------------|
| Analogico |    | RCA par   | 0.5m 255,00 €<br>1m 316,00 €   |                                   |
|           |   | Unique Tuned ARAY technology. FEP-insulated silver-plated conductors. Multiple shielding material works over a wide bandwidth and reduces mechanical noise. Chord VEE3 RCA plugs, direct silver-plated to improve signal transfer. A great all-rounder, consistently well reviewed by the hi-fi press. 2 RCA to stereo minijack version also available.                                       | m adicional stereo 122,00 €  |                                   |
|           |   | 3.5mm to 2RCA / 3.5mm to 3.5mm  | 1m 316,00 €<br>m adicional stereo 122,00 €   |                                   |
|           |    | RCA / DIN<br>DIN / DIN<br>DIN to XLR (NAP250)   | 1m 316,00 €<br>1m 316,00 €<br>1m 316,00 €  |                                   |
|           |   | Well suited to Quad and Naim systems. Same high-performance specification as the RCA version. Optimised to work with all permutations of DIN/RCA/XLR connectors, including Naim NAP250/300/500.   | m adicional 122,00 €   |                                   |
|           |    | XLR par   | 1m 461,00 €  |                                   |
|           |   | All Tuned ARAY cables require a high degree of precision, only achieved with painstaking hand assembly. The upside of this process is that it allows us to add the extra conductors needed to build an exceptional XLR cable.   | m adicional 122,00 €   |                                   |
|           |   | DIN (Snake 4 or 5)  | 1m 316,00 €<br>m adicional 122,00 €  |                                   |
|           |    | Subwoofer RCA   | 1m 158,00 €  |                                   |
|           |   | Silver-plated conductors, FEP insulation and high-frequency effective, multi-layer shield. Fitted with Chord VEE 3 direct silver-plated RCA plugs. Features Tuned ARAY conductor geometry. Available with RCA or XLR plugs to suit.   | m adicional 61,00 €  |                                   |
| Digital   |   | Shawline Streaming <b>NOVO</b>  | 0.75m 301,00 €<br>1.5m 342,00 €<br>3m 437,00 €<br>5m 558,00 €  |                                   |
|           |   | High-speed, silver-plated copper conductors. Individually shielded twisted conductor pairs with overall shield. FEP insulation. 24ct. gold-plated signal contacts. Over-moulded shielded zinc plug surround. Custom lengths built to order.   | 1m 243,00 €<br>2m 255,00 €<br>3m 267,00 €<br>5m 292,00 €<br>8m 328,00 €<br>10m 352,00 €<br>15m 413,00 €<br>20m 474,00 €  |                                   |
|           |  | Shawline HDMI ( <b>NOVO</b> ) Shawline HDMI AOC uses a high-quality chipset at both ends of the cable and the highest OM3 grade (over 10 Gigabit bandwidth) glass fibres rather than the typical OM2 (up to 1 Gigabit bandwidth). Alongside the full 8K HDR picture quality, this premium high-speed cable benefits from improved audio performance and is heavily shielded against HF noise. |  |                                   |
|           |   |   |  |                                   |
|           |  | RCA   |  0.5m 255,00 €<br>1m 316,00 €<br>1m 316,00 €<br>1m 316,00 €<br>1m 316,00 €   |                                   |
|           |   | RCA para BNC<br>USB<br>BNC  |  |                                   |
|           |   | Hearing what the bass and drums are doing is great, but it's pointless if they're not doing it together. The Shawline Digital brings coherence to the detail. A redesign of Shawline Analogue, but with the same Tuned ARAY conductor configuration. Fitted with silver-plated Chord VEE3 RCA or BNC plugs.   | m adicional 122,00 €   |                                   |
|           | Cabo coluna   |    | Silver-plated, 16 AWG oxygen-free copper. Similar spec' to the famous Chord Rumour, but enhanced with highdensity, dual-layer shielding, LSOH internal jacket and PVC outer jacket to reduce mechanical noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors.  |                                   |
|           |   |   | Shawline X Speaker Cable   | por m 49,00 €                     |
|           |   |   | Terminado stereo banana-banana   Terminado stereo banana-forquilha   | 1 par 2m 337,00 €                 |
|           |   |   | Terminado stereo forquilha-forquilha   | 359,00 €                          |
|           |   |   |  | 380,00 €                          |
|           | Alimentação   |    | Shawline Power Chord   | 1m 317,00 €                       |
|           |   |   | A high-specification mains cable design that evolved from the previous Power Chord, now featuring an improved, thicker stranded conductor. The shielding also benefits from a redesigned, higher gauge braid wire. Also available in custom lengths, 10 or 16 amp IEC and can be supplied with European (Schuko) mains plugs. fig.8 connectors | m adicional 122,00 €<br>+ 61,00 € |


| EpicX     |   | Comprimento   | pvp recomendado  |   |   |  |
|-----------|---|---|--|---|---|--|
| Analogico |    | <b>RCA par</b><br>Tuned ARAY conductor geometry. Similar to Shawline but with heavier gauge silver-plated, multi-strand, oxygen-free copper conductors and FEP insulation. Detailed performance, but conveys the extra information with coherence. Genuinely musical and involving sound.   | 0.5m<br>1m<br>m adicional stereo<br>243,00 €   |   |   |  |
|           |    | <b>RCA / DIN ou DIN / DIN</b><br><b>DIN</b> (Snake 4 or 5)<br><b>DIN to XLR</b> (NAP250)<br>Well suited to Quad and Naim systems. Same high-performance specification as the RCA version. Optimised to work with all permutations of DIN/RCA/XLR connectors, including Naim NAP250/300/500.<br><b>4DIN to 1XLR 1m pair (NAP300/500)</b> | 1m<br>1m<br>1m<br>m adicional<br>243,00 €<br>1m<br>631,00 €<br>m adicional<br>243,00 €   |   |   |  |
|           |   | <b>XLR par</b><br>Hand-built with the same internal conductors as Epic RCA. Design adapted to include an extra conductor to produce the optimum (neutral, transparent) performance for XLR-fitted equipment.  | 1m<br>m adicional<br>801,00 €<br>243,00 €  |   |   |  |
|           |   |    | <b>RCA</b><br><b>USB</b><br><b>BNC</b><br>Silver-plated, Tuned ARAY conductors and dual foil screen. Listen for better stated rhythm and the critical micro details that mean so much to music. Also available fitted with BNC connectors. | 1m<br>1m<br>1m<br>m adicional<br>243,00 €   |   |  |
|           |   |   |   | <b>Streaming</b><br>Developed for and tested with digital audio streamers. High-quality silver-plated conductors, high-speed insulation materials, high-density separate pair /overall shielding. Tuned ARAY conductor geometry. Precision RJ45 connectors, modified to allow direct soldering of conductors to contact pins. | 1m<br>m adicional<br>631,00 €<br>122,00 €   |  |
|           |   |   |  |   | Based on the multi-award-winning Chord Odyssey speaker cable. 12 AWG oxygen-free copper negative and positive conductors, silver-plated and insulated with PTFE. High-frequency combination shield of overlapped high-density foil and tight-weave metal braid. Outer PVC jacket provides mechanical damping. Available with factory-fitted ChordOhmic silver-plated speaker connectors.<br><b>EpicX Speaker Cable</b> <b>NOVO</b><br>Terminado stereo banana-banana<br>Terminado stereo banana-forquilha<br>Terminado stereo forquilha-forquilha | <br>por m<br>98,00 €<br>1 par 2m<br>533,00 €<br>555,00 €<br>576,00 €                         |
|           |   |   |   |   | <b>Epic XL NOVO</b> Speaker Cable Similar spec to Epic, but further enhanced with separately shielded positive and negative conductors. Optimum twist applied before secure clamping. Built to order in terminated sets. Available with factory-fitted ChordOhmic silverplated speaker connectors.<br><br>Terminado em fábrica  | por m mono terminado<br>243,00 €<br>1.5m<br>728,00 €<br>3m<br>1.456,00 €<br>5m<br>2.426,00 € |
|           |  | High purity multi-strand copper conductors with unique ARAY technology. PVC internal and external insulation with high mechanical damping factor. Dual layer high frequency effective braid and foil combination shield. High density vibration damping outer jacket.   |  |   | 1m<br>m adicional<br>633,00 €<br>243,00 €   |  |
|           |   | fig.8 connectors  |  |   | +   | 61,00 €  |

| SignatureX         |   | Comprimento          | pvp recomendado |
|--------------------|---|----------------------|-----------------|
| Analogico          |  <b>RCA par</b><br>Hi-Fi World award winner 2014. Separately shielded silver-plated conductors. Tuned ARAY conductor geometry. PTFE insulation. Dual-layer foil and high-density braid. Shielding effective to very high frequencies. FEP conductor outer jackets. High-performance Chord PTFE plug surrounds. Tonearm version from 1.2m, fitted with straight or right-angle connectors.  | 1m                   | 1.274,00 €      |
|                    |  <b>RCA to DIN</b><br><b>DIN to DIN</b><br><b>DIN to XLR</b> (NAP250)<br><b>Tone Arm to RCA</b><br>Brings major improvements to Naim DIN-connected systems. Also available in various DIN to XLR configurations to suit Naim NAP250/300/500 combinations.  | m adicional          | 637,00 €        |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | 1.2m                 | 1.401,00 €      |
|                    |   | m adicional          | 637,00 €        |
|                    |  <b>Reference Tone Arm to RCA</b><br><b>Reference</b> m adicional<br><b>DIN</b> (Snake 4 or 5)<br><b>DIN to XLR par</b> (NAP300/500)<br><b>m adicional</b><br><b>Subwoofer RCA</b><br>Dedicated Signature subwoofer cable, designed for mid-to high-end surround/multi-channel systems. Available to order in custom lengths and a variety of terminations.<br><b>XLR par</b><br>Two signal wires carry the hot (in phase) and cold (out of phase) signals, with a third identical conductor to carry the earth/return signal. This takes the shield out of the circuit, reducing unwanted interference.   | 1.2m                 | 2.102,00 €      |
|                    |   | m adicional          | 956,00 €        |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | m adicional          | 637,00 €        |
| Digital Super ARAY |  <b>Super ARAY RCA</b><br><b>Super ARAY BNC</b><br><b>Super ARAY XLR AES/EBU</b><br>Super ARAY conductor geometry. Fitted with PTFE RCA plug surrounds and/or high-quality silver-plated 75-ohm BNC plugs. AES/EBU version also available.  | 1m                   | 1.274,00 €      |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | m adicional          | 637,00 €        |
|                    |  <b>Super ARAY Streaming</b><br>Precision RJ45 connectors (gold-plated contacts and soldered conductors) are used, along with the unique hard skin insulation. Heavy-gauge silver-plated conductors and an effective shielding system. Super ARAY conductor geometry— developed specifically for streaming cables.<br><b>Tuned ARAY USB</b><br>Four separately shielded, silver-plated bi-conductors, insulated with PE/LDPE/PE TRI. Fitted with dual layer highfrequency effective shielding and Super ARAY conductor geometry. The SV cables are silver-plated copper with tri-layer PE/LDPE/PE insulation and foil shield. All connections are soldered. USB plugs are silver-plated to our specification in the UK.  | 1m                   | 1.274,00 €      |
|                    |   | m adicional          | 637,00 €        |
| Cabo coluna        |  <b>Signature XL Speaker Cable</b><br>Terminado em fábrica<br>The latest version of what was our first shielded speaker cable. An instant success when launched and still a hi-fi press champion. Individually shielded, silver-plated high-purity oxygen-free copper conductors, XLPE insulation, twisted and clamped. Built to order in terminated sets. Standard colours are red and black or all-black. Available with factoryfitted ChordOhmic silver-plated speaker connectors.  | por m mono terminado | 486,00 €        |
|                    |   | 2m par term          | 1.941,00 €      |
|                    |   |                      |                 |
| Alimentação        |  <b>Signature Links x 4</b><br>Designed to replace the pressed-metal versions used to bridge inputs on bi-wireable speakers. Easy to fit and can bring startling improvements to sound quality. Design is based closely on Chord Signature speaker cable but will work with any speaker cable. Available with factory-fitted ChordOhmic silver-plated speaker connectors.<br><b>SignatureX ARAY Power</b><br>Mains plug features heavily silver-plated contacts and silicone damping to minimise vibration between the top and bottom section of the assembly. More silver-plating on the IEC. High-density braid. ARAY conductor configuration.95% coverage, dual-layer shield. Also available in custom lengths, 10 or16 amp IEC and can be supplied with European (Schuko) plugs. | 1 set                | 364,00 €        |
|                    |   | 1m                   | 1.274,00 €      |
|                    |   | m adicional          | 637,00 €        |

















| Sarum T Super ARAY |  |                                   |   | Comprimento          | pvp recomendado |
|--------------------|--|-----------------------------------|---|----------------------|-----------------|
| Analogico          |   | RCA par                           |    <p>The insulation material next to the signal-carrying wires has a significant impact on the final accuracy and performance of the cable. Following the introduction of our phase-stable insulation (Taylon®) via our flagship, no-compromise ChordMusic range, it became clear that we could also offer a simpler range of cables but still use the Taylon® dielectric. The Sarum T cable range was the result. This replaced the previous Sarum range. The musical improvements were so marked that we felt it was important to offer this Taylon® upgrade to our existing Sarum owners. To this end we are operating an upgrade scheme in conjunction with our retailers.</p> <p>In terms of musical performance, the Sarum T is much closer to ChordMusic than the previous Sarum range. It highlights how sensitive human hearing is to phase. The Sarum T is highly shielded but not to the same "no compromise" extent used with ChordMusic. This allows us to pass on significant savings to the music lover. At this level of performance we recommend arranging a demonstration (at your nearest Chord Company Sarum T retailer) to hear the difference that this range of cables can make to your enjoyment. If you are fortunate enough to already own one of our Sarum cables, please take it with you to enable a direct comparison, before arranging an upgrade.</p> | 1m                   | 3.312,00 €      |
|                    |  | DIN to DIN                        |   | 1m                   | 3.312,00 €      |
|                    |  | DIN to 1XLR par (NAP300/500)      |   | 1m                   | 3.312,00 €      |
|                    |  | DIN to XLR m adicional            |   | m adicional          | 1.656,00 €      |
|                    |  | RCA to DIN                        |   | 1m                   | 3.312,00 €      |
|                    |  | DIN to DIN (Snake 4 or 5)         |   | m adicional          | 1.656,00 €      |
|                    |   | XLR to XLR                        |   | 1m                   | 4.968,00 €      |
|                    |  | Tonearm SLIM                      |   | m adicional          | 2.484,00 €      |
|                    |  | Tonearm Reference                 |   | 1.2m                 | 3.643,00 €      |
|                    |  |                                   |   | m adicional          | 1.656,00 €      |
|                    |  |                                   |   | 1.2m                 | 5.464,00 €      |
|                    |  |                                   |   | m adicional          | 2.484,00 €      |
| Digital            |   | Digital RCA                       |   | 1m                   | 3.312,00 €      |
|                    |  | Digital XLR AES/EBU               |   | 1m                   | 3.312,00 €      |
|                    |  | Streaming                         |   | 1m                   | 3.312,00 €      |
|                    |  | USB                               |   | m adicional          | 1.656,00 €      |
|                    |  |                                   |   | 1m                   | 3.312,00 €      |
|                    |  |                                   |   | m adicional          | 1.656,00 €      |
| Cabo coluna        |   | Sarum T Speaker Cable             |     | por m mono terminado | 1.262,00 €      |
|                    |  | Terminado em fábrica              |   | 2m par term          | 5.046,00 €      |
|                    |  |                                   |   |                      |                 |
|                    |  | Sarum T Links Spade to Banana x 4 |   | 1 set                | 866,00 €        |
| Alimentação        |  | Power                             |   | 1m                   | 3.312,00 €      |
|                    |  |                                   |   |                      |                 |
|                    |  |                                   |   | m adicional          | 1.656,00 €      |










| <b>ChordMusic</b>  |   |                                      |   | <b>Comprimento</b>   | <b>pvp recomendado</b> |
|--------------------|---|--------------------------------------|---|----------------------|------------------------|
| <b>Analogico</b>   |    | RCA par                              | The most advanced Chord Company analogue interconnect in the company's history; the flagship analogue product for uncompromising signal transfer. Proprietary Taylon® phase-stable insulation, a specifically customised version of our unique Super ARAY conductor, plus the finest materials and craftsmanship available. Each cable is built by hand to order.   | 1m                   | 6.623,00 €             |
|                    |    | Tonearm SLIM                         |   | 1.2m                 | 7.286,00 €             |
|                    |   | Tonearm Reference                    |   | m adicional          | 3.312,00 €             |
|                    |   |                                      |   | 1.2m                 | 10.928,00 €            |
|                    |   |                                      |   | m adicional          | 4.968,00 €             |
|                    |    | DIN to DIN                           | ChordMusic Analogue 2RCA-DIN/DIN-DIN/DIN-XLR (for Naim NAP250/300/500) With a variety of termination options available for the flagship analogue cable, all manner of high-performance systems and equipment can benefit from the very best Chord Co. cabling. These cables are designed to carry signals as accurately as possible, whatever the termination. Naim Audio SNAIC and DIN terminations are available, for a wide range of specialist equipment. | 1m                   | 6.623,00 €             |
|                    |   | DIN to 1XLR par (NAP300/500)         |   | 1m                   | 6.623,00 €             |
|                    |   |                                      |   | m adicional          | 3.312,00 €             |
|                    |   | DIN to XLR (NAP 250)                 |   | 1m                   | 6.623,00 €             |
|                    |   | m adicional                          |   | m adicional          | 3.312,00 €             |
|                    |   | RCA to DIN                           |   | 1m                   | 6.623,00 €             |
|                    |   |                                      |   | m adicional          | 3.312,00 €             |
|                    |   | DIN to DIN (Snake 4 or 5)            |   | 1m                   | 6.623,00 €             |
|                    |   |                                      |   | m adicional          | 3.312,00 €             |
|                    |    | XLR to XLR                           | XLR With much high-end audio equipment also offering balanced connectivity options, ChordMusic XLR is an obvious choice. Hand-built to order, allowing the XLR wiring configuration to be carefully implemented, the balanced cable is the finest example of its kind in the portfolio. Taylon® phase-stable insulation perfectly complements the unique Super ARAY conductor technology.   | 1m                   | 9.935,00 €             |
|                    |   |                                      |   | m adicional          | 4.968,00 €             |
| <b>Digital</b>     |   | Digital RCA                          | The finest coaxial digital cable in the portfolio, ChordMusic Digital delivers the finery of binary in its full undiluted glory. A digital cable that neither adds or extracts to the signal, it's a digital cable that carries music with a degree of accuracy that makes it as thrilling and profound as the analogue cables. Electrical digital never sounded so good.   | 1m                   | 6.623,00 €             |
|                    |   | Digital XLR AES/EBU                  |   | 1m                   | 6.623,00 €             |
|                    |   | Streaming                            |   | 1m                   | 6.623,00 €             |
|                    |   |                                      |   | m adicional          | 3.312,00 €             |
|                    |   | USB                                  |   | 1m                   | 6.623,00 €             |
| <b>Cabo coluna</b> |   |                                      |   | m adicional          | 3.312,00 €             |
|                    |  | ChordMusic Speaker Cable             | High-end loudspeakers are a significant audio investment and feeding them with the best quality signal from the amplifier is critical for performance. The introduction of the phase-stable Taylon® insulation produces the most natural and uncoloured speaker cable possible. ChordMusic features Tuned ARAY conductor geometry, with obvious clarity and transparency benefits.  | por m mono terminado | 2.523,00 €             |
|                    |   | Terminado em fábrica                 |   | 2m par term          | 10.092,00 €            |
|                    |   |                                      |   |                      |                        |
|                    |  | ChordMusic Links Spade to Banana x 4 | With most high-end speakers worthy of ChordMusic speaker cable having multiple drivers and bi- or even tri-wiring options, ChordMusic bi-wire speaker links provide a suitably high-end solution to the basic pins provided with the speaker terminal blocks. Designed to complement the speaker cables, the bi-wire links help deliver the full performance capability of the cable engineering.   | 1 set                | 1.577,00 €             |
| <b>Alimentação</b> |  | Power                                | The flagship power cable, ChordMusic Power contains all of Chord Company's 'mains' cable know-how, gained over 35 years of UK cable manufacturing. A hybrid design using differing internal cables, shielding and ARAY configurations. All the internal elements use Taylon® and this insulation, combined with the optimum shielding design, redefines the musical performance.  | 1m                   | 7.885,00 €             |
|                    |   |                                      |   | m adicional          | 3.312,00 €             |

| ChordBurndy   |                                    |            |
|---|------------------------------------|------------|
|  | Chord Bridge NDX T                 | 986,00 €   |
|   | Chord Bridge N-DAC                 | 986,00 €   |
|   | Chord Bridge 272 T                 | 986,00 €   |
|   | Chord Bridge HDX                   | 986,00 €   |
|   | Chord Bridge SuperLine             | 986,00 €   |
|   | Chord Bridge Type3                 | 986,00 €   |
|   | Chord Bridge Type4                 | 986,00 €   |
|   | BurndyX 555 (No.2) 1.23m           | 1.735,00 € |
|   | BurndyX 555 (No.1) 1.23m           | 2.395,00 € |
|   | BurndyX SXPS 1.23m                 | 2.617,00 € |
|   | BurndyX 252 1.23m                  | 3.494,00 € |
|   | BurndyX 52 (52PS-16 Pin) 1.23m     | 3.716,00 € |
|   | BurndyX 52 (Supercap-18 Pin) 1.23m | 4.155,00 € |
|   | BurndyX Snaxo/S-Line 1.23m         | 3.933,00 € |
|   | BurndyX 552 1.23m                  | 4.371,00 € |
|   | BurndyX Type 3 1.23m               | 2.395,00 € |
|   | BurndyX Type 4 1.23m               | 3.056,00 € |
|   | BurndyT 555 (No.2) 1.23m           | 3.470,00 € |
|   | BurndyT 555 (No.1) 1.23m           | 4.790,00 € |
|   | BurndyT SXPS 1.23m                 | 5.234,00 € |
|   | BurndyT CDS 1.23m                  | 6.111,00 € |
|   | BurndyT 252 1.23m                  | 6.988,00 € |
|   | BurndyT 52 (52PS-16 Pin) 1.23m     | 7.431,00 € |
|   | BurndyT 52 (Supercap-18 Pin) 1.23m | 8.309,00 € |
|   | BurndyT Snaxo/S-Line 1.23m         | 7.865,00 € |
|   | BurndyT 552 1.23m                  | 8.742,00 € |
|   | BurndyT NVS TT 1.23m               | 4.790,00 € |
|   | BurndyT Type 3 1.23m               | 4.790,00 € |
|   | BurndyT Type 4 1.23m               | 6.111,00 € |
|   | ChordBurndy 300 pair 1.23m         | 6.939,00 € |
|   | ChordBurndy 500 pair 1.23m         | 8.703,00 € |
|   |                                    | 3.548,00 € |



| Instalação           |   |   | pvp recomendado                              |
|----------------------|---|---|--|
| Cabos coluna bobines |    | <b>Leyline2X</b><br>2 core AWG16 conductors, tinned copper, Dielectric upgrade to XLPE, Improved CPR EN50575 fire-compliance. Dca-s2, d2, a1, Supplied in 152m length pull-through box, Metre-marked, Loose jacket with ripcord, easier for installations | Bobine 152m<br>922,00 €                      |
|                      |    | <b>Leyline4X</b>  | Bobine 152m<br>1.383,00 €                    |
|                      |    | <b>Sarsen</b><br>Near-invisible speaker cable that won't spoil the sound of a decent hi-fi system. Flexible enough to fit between carpet and skirting board. Perfect for music lovers who think speaker cable should be heard and not seen.               | Bobine 100m<br>1.218,00 €                    |
|                      |    | <b>Rumour X</b><br>6mm diameter, neutral and natural speaker cable. Part of our speaker cable range for 20+ years. Good enough to find its way into everything from lifestyle to seriously high-end audio systems.  | por m<br>12,18 €                             |
|                      |    | <b>Odyssey X</b><br>A heavier gauge version of Chord Rumour. Higher performance that brings control to pretty much any pair of speakers   | Bobine 50m<br>1.218,00 €                     |
|                      |    | Pack 4 bananas aparafusar   | por m<br>24,36 €                             |
|                      |    | 4mm Ficha Banana <b>NOVO</b><br>4mm Ficha Banana <b>NOVO</b><br>Forquilha para aparafusar ou soldar <b>NOVO</b><br>Forquilha para aparafusar ou soldar <b>NOVO</b>  | Bobine 50m<br>1.826,00 €<br>por m<br>36,52 € |
| Fichas               |   | Pack 4 bananas aparafusar   | 49,00 €                                      |
|                      |  | 4mm Ficha Banana <b>NOVO</b>  | Vermelho<br>10,50 €                          |
|                      |  | 4mm Ficha Banana <b>NOVO</b>  | Preto<br>10,50 €                             |
|                      |  | Forquilha para aparafusar ou soldar <b>NOVO</b>   | Vermelho<br>28,00 €                          |
|                      |  | Forquilha para aparafusar ou soldar <b>NOVO</b>   | Preto<br>28,00 €                             |
| Acessorios           |  | Silent Mount - SM5  | Pack de 4<br>789,00 €                        |
|                      |  | Silent Mount - SM7  | Pack de 4<br>887,00 €                        |
|                      |  | Silent Mount - SM5 Titanium   | Pack de 4<br>1.282,00 €                      |
|                      |  | <b>Connector treatment</b><br>ChordOhmic Transmission Fluid   | 243,00 €                                     |

| Instrument   |  | pvp recomendado |
|--------------|--|-----------------|
| Instrumentos |  Cream Cable 3m (90° or Jack direito)   | 77,00 €         |
|              |  Cream Cable 6m (90° or Jack direito)   | 113,00 €        |
|              |  A well designed, hand-built cable while most other instrument cables are cost-orientated. If you want to hear more of what you're playing, Cream is the cable to use. Available with straight or right-angle jacks in 3m, 6m or custom lengths. Patch leads and high quality mic leads also available. |                 |
|              |  Cream link pedais / efeitos 0.3m  | 61,00 €         |
| Electronica  |  Epic amp para coluna 1m  | 244,00 €        |
|              | The finest way of connecting your guitar amp to the speaker cabinet. Do not use instrument cable as it will sound poor and possibly damage your equipment. Available with jack, XLR and Speakon connectors   |                 |
|              | EE1  | 360,00 €        |
|              | EE 8Switch - 8-way network switch<br>8 Port Audio Grade Network switch supplied with 0.75m C-Stream cable  | 650,00 €        |
|              | EE 16Switch  | 1.200,00 €      |
|              | <b>ChordOhmic Ground array</b>   |                 |
|              |  ChordOhmic Ground ARAY - RCA   | 871,00 €        |
|              | ChordOhmic Ground ARAY - XLR Male  | 871,00 €        |
|              | ChordOhmic Ground ARAY - XLR Female  | 871,00 €        |
|              | ChordOhmic Ground ARAY - BNC   | 871,00 €        |
|              | ChordOhmic Ground ARAY - USB   | 871,00 €        |
|              | ChordOhmic Ground ARAY - RJ45  | 871,00 €        |
|              | ChordOhmic Ground ARAY - schuko  | 871,00 €        |
|              | ChordOhmic Ground ARAY - HDMI  | 871,00 €        |
|              | ChordOhmic Ground ARAY - DIN   | 871,00 €        |
|              | <b>PowerHAUS</b>   |                 |
|              |  PowerHAUS P6   | 1.096,00 €      |
|              | PowerHAUS M6   | 2.192,00 €      |
|              | L 600mm x W 110mm x H 77mm (incl feet)   |                 |
|              | PowerHAUS S6   | 4.383,00 €      |
|              | L 460mm x W 110mm x H 77mm (incl feet)   |                 |
|              | Hand built in England by music and cinema lovers   |                 |
|              | Pure performance and reliability.  |                 |
|              | Free from non-essential and potentially noisy components   |                 |
|              | Created to meet our own demo room needs and now available for discerning users everywhere  |                 |
|              | Designed using the optimum materials and 40 years of hi-fi industry experience   |                 |
|              | Unique Chord Company ARAY technology minimises HF and earth noise  |                 |
|              | Protection from RFI via heavily-shielded ARAY wiring   |                 |
|              | Robust aluminium casing and heavy-duty 16A power input   |                 |